



The J. W. Bawlin

Dr. Phlegm at 11 oc.

2. On the same day  
3. P. 1. Chapter 1. P. 1.



Notes on Materia Medica  
The substances which effect  
the system, are by P. Porsy  
divided into two classes -

1<sup>st</sup> Nutrientia, 2<sup>nd</sup> Materia Med

Nutrientia may again be divi-  
-ded into three classes. -

1<sup>st</sup> Aliment, 2 Nutrice, 3 Condiments

Materia Medica, is likewise divi-  
-ded into two general classes.

1<sup>st</sup> Coacuantia, 2 Stimulantia.

The first of them is divided into  
six classes, which are as follow.

1 Blood letting, 2 Cathartics,

3 Emetics, 4 Pectorals,

5 Diuretics, 6 Emmenagogues,

The second is divided into five classes - as follows,

1 Incitants, 2 Tonics,  
3 Astringents, 4 Narcotics,  
5 Antispasmodics, —

Recipes in disease

In Uterine hemorrhagy

Acetate of Lead 3 grs

Opium — 1/2 L'orsaye  
Spicae — 1m

Spicae m 1m

In Pyrenthery 12 pounds

*Succae 12 grm*

Opium 2

Chalm 24

Barrow every  
hour.

colic.

In *Stalutary*, and

= *Pistia* <sup>2</sup>/<sub>1</sub> *Folia* *Senne* 23

Alcohol Salap put in Ya-Si

3 1/2 lbs) Coriander Seed 1/2 =

1 to 23

Elisir of Health



Olagnion, mixture, made

thus -

Oilum Ricini 2 1/2

Sacc. alb. -

Gum Arabic aa 3 drs

Aqua - 13

Oilum mintka 6 galls

Post

1 1/2

every hour

Cardialgia, during

Uterogestation. -

Magnesia usta 13

Aqua pura - 5 1/2 3

Spts Cinna 3 3

Aqua Ammon 13

2 or 3

Table Spoon

fuls, occa

sionally,

or when

the sym

ptoms are

violent

In Bowel complaints of

Children in the Summer.

A Tea

spoonful

every hour

until

it operates

sensibly

Triturate

well.

Rheum Palmatum - 3p

Magnesia - 13

Oilum Anisi - 2 galls

Aqua Fontana - 2 1/2

# In Gouty affection.

Cordial	Brained Rhubarb	13	Powder	13
	Folia Sennae	1/2 3	very hour	
	Petal of Saffron	1 3	or two late	
Warmer	Fennel and Coriander	2 3	Pigest	
	Liquorice Root	4 3	10 days	
	Raisins	1 lb	and then	
	Rectified Alcohol	2 lb	Strain	

<u>Purgative Pills</u>		19 grains
Pulver d. Rhoium	64	at bed
Sallap	64	time ago
Resin of Salap	32	loosative
Oleum Mentha	32	2 or 3 or
Aqua Foul.	q. s.	a purge
	64 Pills	in the

To produce a		10 or 20
Rapshoriz		very
Nitre	1 3	hour or
Calomel	8 grs	two
Tartar Emetic	1 gr	Yostinalo
		well



Tartar Emetic in 1 gr

5

## Cathartic Pills

Pul Salap in	3 gr	3 or 4
Calomel in	100 gr	every hour
Tartar Emetic in	8 gr	until
Mucilago. g. S	100 Pul	they operate
		rather
		or two

In Tinea Capiti, Mercur, Soda  
pulverized, and mixed with Butter

In febrile diseases	every	
Sulphur, Soda in	13	2 hours
Tartar Emetic in	1 gr	mixed
divide the powder into		in all time
8 doses, and give one		glass of
		water

Laxative powder	give	
Superlornine of potash	10 gr	every
Salap in	a a	hour.

## Purific mixture

Stro in	13	give one
Calomel in	8 gr	every two
Antimony in	1-8 pulv	hours.

Enemåß

Common Salt in 3℔  
Molasses in in 23  
Olive oil in 13  
Water in 1℔

In Troch of  
libility & dry  
Skin

Raphtorchie mix very  
Take 4. ffs 301  
Antimonial wine 20

In Hemoptysis or  
Hematuria  
Spicaeana 2  
Aceti plumbi 3

In Prophy 10  
Nitro in 10  
Digitalis purpurea 1/2

in Asthma, protracted  
Catarrh, irritated pneumonia  
Balsam of Toluivum 1 3  
Laudanum 1 3  
Digitalis 1/2

10 to 40  
3 times  
a day.  
Gradually  
increased  
from 10 to 40.



*Laudanum*  $\frac{1}{3}$  - from cat 60  
*Digitalis*  $\frac{1}{2}$

7

In Hydrothorax

*Scilla maritima* 2<sup>gr</sup>  
*Calomel* in in in 1-

3 times  
 a day

In Gonorrhoea

and Lucorrhoea.

*Balsam Copaiva* in 3p  
*Spts Lavender and Petrosä* 23  
*Laudanum* in in 13  
*Gum Arabic* in in 23  
*Water* in in 43

Give  
 half  
 an ounce  
 every  
 morning  
 and eve-  
 ning  
 or 1 Table  
 spoonful  
 =  $\frac{1}{2}$  3

In diabetes

*Uva ursi* in in 10  
*Opium* in in  $\frac{1}{2}$  dr  
*Per. Bark* in in 10

4 times  
 a day  
 Drink  
 lime  
 water  
 after  
 each dose

In intermittent Fever

*Per. Bark* in in 3p  
*Serpens Virginia* in in 13  
*Carbon Soda* in in 3p

Made  
 into 4  
 powder  
 and 1  
 given  
 4 times  
 in the  
 day

# Diaphoretic Powder

Nitre in 13 Give 1  
 Tartar Emetic 8 grs every  
 or Ipecacuanha 4 grs 4 hours  
 Make into 8 pulvers

James's Powder 3 to 8 grs  
 every 4 hours

Sulphur of Antimony, coarse powder  
 Shavings of Beathorn aa }

Fermey's Mineral 2 each  
 Sulphur of Antimony 1 gr to 1 1/2  
 Carbonate of Potash aa 13 a dose

In debilitated Typhoid Fever

Lemon juice in 2 oz Give  
 Saccharum album 2 oz 5 drops  
 Aqua in in 4 oz more  
 Saturated with Sal absyn. as  
 requisite

Spt. Minderri  
~~the ammonia~~



Spts Mindereri

9

Carbonate Ammon. in powder  
any quantity.

- Acetous acid enough  
to saturate the Ammonia

Dover's powder <sup>gr</sup> 10 to 15  
every  
night  
Sulphate of Potash or Nitrate 8  
Opium in part 1  
Opium in whole 1

Sudorific mixture

Antimonial Wine - 35 parts

Lamdanum - 25

In obstinate Colic

Tobacco in - 13.

Water, 1 quart boiled down to 1 pint or less

In cases when corrosive Sub. had been  
employed.

Solution of Common Soda or  
Potash

In case of Venereal sore throat,

Acuta ————— 66 <sup>gr</sup>

Calomel ————— 8 <sup>gr</sup>

make into 66 pills give  
1 every hour

---

Amenorrhoea, take of  
Sal martini ————— 1/2 <sup>lb</sup>

Salapernum ————— 1 <sup>lb</sup>

Gum Guaiacum 1 <sup>lb</sup> make  
into pills of ordinary size and  
give 2, 3 or 4 at Bed time.

---

Another for the same disease  
Give 12 grains full of the volatile  
Tincture of Gum Guaiac 2 in  
the day.

---

Scab corvutium in 15 <sup>gr</sup> at  
Bed time for 3 or 4 nights.

---



11

In case of Worms in children

Calomel in 1 gr at bed time  
to a child 4 or 5 years old, and if it  
does not operate by morning give  
Castor oil.

Another Recipe

*Spizelia marilandica* in decoction a  
Tablespoonful 4 times a day to an adult a  
Wine Glassful.

Another

Sulphate of Iron in	1 ℥	{ one to an adult a day half to a child
Carbonate ditto in	2 ℥	
12 pulsing		

Another

<sup>TD</sup> Camphor wet with spirit, hot  
water poured on fruit.

Another

*Chenopodium anthelminticum*, Seris oak  
in a hand ful boil in a quart of new  
milk  $\frac{1}{4}$  hour, give a wine glass 4 or 5 times, Dec  
to a child of 3 or 4 old.

An Excellent Collyrium

Acetate of Lead in in 5-9<sup>th</sup>  
Sulphate Zinc in in 3 "  
Laudanum in in 23  
Water in in 43

---

Application for Burns

Oleum Scabietinae poured on  
Basilicon until it forms a very soft  
ointment. - Take care not to apply it to  
the sound skin. -

---

Another

Oleum Scabietinae in 43  
Camphor in in 23

---

Dorsey saw a child restored by  
in dressing it in warm Sp. of <sup>in perfume</sup>

---

Gentle Stimulation

Mustard in 1 part  
Wheat, oats, or Indian Corn 2 parts  
on the sole, or ankle. -

In some publications



on the Wrist, or Ankle.

In Coma, Apoplexy, Gout,  
stiff neck, or joints.

Put in any quantity  
vinegar make into muck.

To obviate the effects of Blister  
in Strangury, produced.

Barley Tea or Gum arabicum, Sil  
Laudanum in 100 drops

When a vein has been punctured  
from bleeding, and does not close  
by the first intention.

Apply a good Blister Plaster

Dorsey or diffusa

Capricum Arumum 5 grs

Blue vitriol in 1/8 gr

Gargle in Stomach.

Capricum in 2 Tablespoons  
Salt in 1 pint  
Water in 1 pint

Alcohol mixed with 3 parts water  
the best solvent or menstruum of Opium

In case when Opium has been taken  
White vitriol — — — 20 grs  
Juca — — — — — 1/2 oz  
Repeat 10 minutes, add white vitr. 10

Another

Superf. Humilis — — — 3ss  
Water — — — — — 1 Quart  
Especially taken in Tea

A much used prescription in  
Coughs —

Laudanum — — — 60 drops  
Antimonial Wine — 1 ℔  
or Juca — — — 4 grs  
Liquoricea — — — 1/2 oz  
or Gum arabic — — 1/2 oz  
Oleum Anisi — — — 6 drops  
Water — — — — — 6 ℔

The dose is a table-spoonful 4 or 5



63  
The dose is a table spoonful as the  
case may require or from nature.

### Another

Tincture of Balsam Tolu  
Elixir Paragoricum a a dose a  
Teaspoonful, according to the existing  
circumstances.

In Scrophulous Tumours

Creta — — — — — 1/4 gr  
Corrosive Sublimate — 8 gr  
make into 1/4 powder, give 1  
every morning and evening.

In Strangulated Hernia

Tobacco, fresh leaves — 13  
Hot water — — — — — 1 pint  
inject half and if it does not op-  
erate in 30 minutes give the other  
half. You must be governed by  
the habits of the patient.

In Mania & pto. Dorsey, gave  
Hamulus Lupulus, Hoop.

In Con gks  
Apsafortida ————— 23

G. Ammonia ————— 23

Mucilage ————— 8 oz

Sandarium ————— 60 drops

Oxymel Squills —————  $\frac{1}{2}$  oz

This is used by Dorsey in Hoop  
-spring cough, after purging with  
sage dose of Calomel every 48  
hours until 3 doses are taken.

In debility, as a tonic give

Trochans Hal ————— 23

Sulphate of Iron ————— 10

Make 12 powder give 1 every  
2 hours. ———— Ginger is combined if

necessary. Trochans 4 or 5 years old.  
 $\frac{1}{3}$  of the powder —

Pl 31' 1' 1'



2 1/2 of the powder —

In Epilepsy

Flower of Zinc — — — — — 13  
Cuprum ammoniacum — — — — — 13  
make 60 pills and give  
every night —

Physic & Gargle for  
Sore Throat —

Blue Citrus — — — — — 10  
P. Bark — — — — — 13  
Water — — — — — 23

A Lotion for Chronic

Ulcers —

Sulphate of Copper — — — — — 10  
Water — — — — — 23

Dorsey's Lignum as an  
 injection in gonorrhea -  
 Sulphate Zinc — 8 or 10 gr  
 Water — — — — —

A better by Dorsey  
 Sugar of Lead — — — 10 gr  
 Sulphate Zinc — — — 8 gr  
 Water — — — — — 8 oz

A Lotion for large ulcers  
 in warm weather to destroy ver-  
 min. It is a weak solution  
 of Nitric acid

Dr Barbour's Pills in in-  
 termittent fever during the  
 apyrexia

Oxide of ammonia — 1 gr  
 Opium — — — — — 4 or 8 gr

make 16 pills of which an  
 adult is to take 2 or 3 day  
 and night at different periods.

Dr Barbour's Elixir



and night at different periods.

Chapman's Eucipert<sup>al</sup>

In Typhus fever Sulph<sup>al</sup> bol

Sat ammonia ~ 1 3

Gum arabic ~ 2 3

Coaf sugar ~ 1 3

Water ~ 4 3

For 1 Spoonful per nata

Another, Wine Whey

Milk ~ 2 parts

Wine ~ 1

if too strong dilute with

water and if weak add wine,

Another Camphor Sulph

Gum Myrrh ~ 1 3

Coaf sugar ~ 2 3

Camphor ~ 1/2 3

Water ~ 6 3

For 1 Spoonful 1/2 3

Another in low cases for lotion

Pepper ~ 1 Spoonful

Brandy ~ 2 rub the

system with.

Stimulant application  
 Cancharides ————— 1 03  
 Spitz Turpentine ————— 4 or 5 03  
 dip rags in and apply them  
 as you would blisters.

Antispasmodics

Musk ————— 2 3  
 Roaf Sugar ————— 4 3  
 Gum arabic ————— 2 3  
 water ————— 6 03  
 For spoonful every hour or two

In dysentery

Opium ————— 4 grs  
 Calomel ————— 16 grs  
 Op. cad ————— 8 grs  
 make into pills, or give it in  
 powder, after making 8 powder,  
 every 3 or 4 hours. —

For Worms or Tenesmus in  
 this disorder, give this

Cor. oil ————— 1 03  
 Gum arabic ————— 2 3  
 Roaf Sugar ————— 2 3  
 Candarium ————— 60 grs  
 water mint ————— 2 03  
 Spoonful or 2 or 3 hours.

St. P. Lined



water mint ————— 3  
 Spoonful 3 or 4 hours.

In Parthorea

Rhubarb ————— 30 gr  
 Opium ————— 10 gr  
 Opium ————— 5 gr  
 make 10 pills give 1 every  
 2 or 3 hours in the day and a  
 Plover powder at bed time.

another

allium ————— 5 gr  
 Opium ————— 1/2 gr  
 3 or 4 times a day add Opium  
 if the skin be dry or the bow  
 not affected.

Another. Infusion of

Galls ————— 4 3  
 pr chalk ————— 6 3  
 Pandanum ————— 1 3  
 Give a tablespoonful every 3 or 4  
 hours.

another

Querc. & This ————— 4 3  
 pr Chalk ————— 6 3  
 Pandanum ————— 1 3  
 Water ————— 4 3  
 a Tablespoonful  
 3 or 4 hours.

A Recipe for  
making durable Ink.  
Nitrate ~~Potash~~ Silver } 3i  
Water Lunar calx li } 3i

Gum arabic ----- 3i  
Water ----- 3iii  
Carb Potash ----- 3ys

Dr Jno Abbott

Quintic is as follows

Carbonate Potash ----- 2 3  
Water ----- 3 3  
Bals Copai ----- 1/2 3  
Spets Nitre ----- 1/2 3

Dissolve the Potash in the  
water then add the other  
articles. The dose is 2 Tea  
spoonfuls twice or thrice a  
day.

L Philadelphia



Philadelphia

23

7 Jan. 7<sup>th</sup> 1817

Dr. Chapman, believing the in-  
adequacy of any nosological  
arrangement in the Cure of ~~diseases~~  
diseases, & yet, and the complex-  
ity together with the obvious errors  
contained in those already extant,  
I propose, the division of the animal  
system, into certain classes, or parts,  
and to treat of the diseases, with  
their cures, to which those parts  
are subject or liable. —

The first division is, or follows,

1 Circulatory; Blood

2 Alimentary; Stomach, intestinal canal

- 3 Respiratory - Lungs -
- 4 Absorbent, Lacteals, Lymphatics
- 5 Secretory, Glands, -
- 6 Sensative, Brain, Nerves, Muscles,
- 7 Muscular, - commonly called Flesh -
- 8 Cutaneous, Skin -
- 9 Osseous, Bones -
- 10 Genital organs, <sup>prods.</sup> Generative

1 Circulatory System, incident

1 Fever - <sup>1</sup> Intermittent, <sup>2</sup> Remittent, <sup>3</sup> Continued

I For the cure of an  
Intermittent Fever. { Date of  
 Per. Barton in 3ss } make into  
 Serp. Virginiana - 13 } 4 powders  
 Carbonas Soda - 3ss } and give  
 4 times a day

Another for an adult




25

Opium alone, or combined  
with Specac. or Tartar Emetic  
Say. Opium alone — 2 grs  
or with Specac — 2" 1 Dose  
or Tar. Emetic —  $\frac{1}{6}$ "

When P. Barts disagrees with  
the Stomach, combine aromatics

Say - P. Barts — 13  
Cloves — 4 grs  
or Ginger — 4"  
or. Cayenne Pepper — 4" Per dose  
or Sassafras, Virginiana 10 to 15 - grs

If this produces purging, in either  
of the above named ways of admini-  
stering - Combine 5 or 6 drops of  
Candellina, if on the contrary it  
constipates, give an equal number  
of grains of Rhubarb. 5 grs



Another Recipe

Spiderwebbenn 2 7<sup>m</sup>

Gum arabic ——— 2 "

given in all Stages of Intermittents.

Carbon or Charcoal finely pul-  
-verised. Table spoon full to be  
repeated several times a day Don

Take of the, Virginia Serpent  
or Snake root ——— 1 3  
or Dogwood ——— 1 3  
or Willow ——— 1 3  
or Liri, Juli, Amer. Poplar 1 3 for a  
dos — and use it here as P. Baste

Guin Kino ——— 2 3

Gentian ——— 1/2 3ss

Opium ——— 2 7<sup>m</sup>

Divide into 10 or 12 pills  
give 1 every 15 hours.



Sulphur ----- 13  
Spirits or Milk ----- 2 lb

Take half an ounce or a Table  
Spoonful repeatedly before the  
accession expected.

---

Arsenicum ----- 1/8 gr  
Ginger ----- 2 gr  
Give 4 or 5 times a day

---

Sulphate of Copper, or Blue Vitriol 1/2 gr  
P. Barse ----- 32 gr  
Make into 16 Pills and  
give 1 every 3 or 4 hours.

---

In the Cold <sup>Stage of the</sup> Paroxysm Dr  
Frotter gave 15 to 20 drops of  
Laudanum, and Dr. Chapman  
recommends the same, from his  
own observation, in affecting  
many Cures.

---

External warmth, Hot herbs,  
Wine Whey, Tournaquet, and  
Emetics.

In the Hot Stage,

Emetics, remove irritation, and Pilules  
likinin have the same effect.

2<sup>d</sup> Indication promote perspiration

Sauze powder, in doses of 10 or 12

Emetics, Spiritus - Chincheri in  
doses of half an ounce or a Table  
spoonful. Bleeding, purging,  
Calomel, Blistering, Spirit of  
nitro dulcified.

2<sup>d</sup> Remittent Fever requires  
the treatment adopted in the  
Intermittent, varied as  
the Physician's Skill directs,  
or pro re nata.



3<sup>rd</sup> Continued Fever is divided  
 in to Typhocha and Typhus.  
 The most usual form of Typho-  
 cha is the inflammatory  
billious Fever. The Intermittent  
 Remittent, and Continued  
 Fevers are the same differing  
 only in degree. —

Cure of Continued Fevers,

1 Inflammatory Billious.

1 Venesection, which is indicated  
 by a high full pulse, hot skin,  
 with other symptoms of an in-  
 flammatory diathesis. —

2 Emetic, R|| 2<sup>gr</sup> Tar. Emetic con-  
 = bind with 20<sup>gr</sup> of Ipecacuanha.

3 Purgative, - Mercury and Calap,  
 or Rheubarb. After the op-  
 -eration of purges, a Saline

Drink may be used, Compound  
of Sulphate Soda m 13  
" Tar Emetic m 1<sup>st</sup>  
" Lemon juice or vinegar m 13  
" Water m m 3 3 dose  
a Tabl<sup>s</sup> spoonful every hour or  
two, Pro re nata. If can purge,  
do not have the wished for effect, an  
emema, Compound of  
Common Salt m m 3ss  
Oliv, or castor oil, or Lard 3ss  
Water m m m 1 lb or pint  
must be had recourse to. —

If creating Medicines are  
very efficacious, but require much  
medical Skill in their administra-  
tion. — The Stomach is frequently  
so irritable, that it cannot bear  
Antimony in any quantity, and  
when this is the case the

Following is a good Remedy



When this is the case, the

31

Following is a good review, O.B.

Lin. picc or Vinegar wine 23

Saturate with Potash

Loaf Sugar, make it a grumble

Water 23

take half an ounce every hour  
or two as the case may demand.

2 Hot bodies, such as, Bricks &c  
are often attended with much  
advantage, in procuring a  
Great ~~One~~ When this remedy  
fails, a Spoonful of Lander  
- rum may be injected.

If you are unsuccessful yet ap-  
-ply Cataplasms, which will  
be succeeded by Blisters of cu-  
-cary. - Never, in any case  
are inflammatory, bilious, con-  
-plaints, are stimulating or  
-doretics to be used.

Refrigerants are beneficial, and  
particularly the common Nitro  
or Salt Petre, combined as follows

Nitro cum ... 13

Calomel ... 12 grs

Tartar Emetic ... 1 gr

make 8 clots and give 1 every  
hour, two, or three. If purging  
is induced and not wished,  
leave out the Calomel, and if  
vomiting, the Tartar Emetic.

2 Cold water has been recommended  
by some Physicians, but the  
point still remains contested.

Dr. Chapman is in favor of it  
when the system is marked with  
high pulse, hot skin &c. but pos-  
itively denies any advantage  
arising from the treatment in  
debilitated, emaciated systems.

Cold water given in small

quantity, acidulated with



33

quantity, acidulated with  
vinegar, Lime juice, Tamarind,  
apple, or toasted bread is witness  
- by attested by good effects -

The above is very proper, when  
there exists excessive thirst, clammy  
Tongue, and Pharynx -

When the Fever cannot be  
checked with the ordinary treat-  
-ment, it becomes necessary to  
recourse to Mercury, taking care  
at the same time, to evacuate the  
system previous to its use -

Blisters are likewise recommended  
by some authors, but their effects  
are not satisfactorily ascertained.  
Sir George Fordyce is decidedly  
in opposition to them, while Dr.  
Chapman thinks, them to  
possess great virtue, when in  
skillful hands -

2. Typhus Fever. This has likewise been divided into Typhus Gravior and Mitior, but Chapman does not ascribe to any division, and consequently includes both under Typhus Fever. —

The cause of Typhus, according to some writers, is contagion. Dr. Chapman disagrees with this doctrine, and proves its absurdity, by its not being contagious when the apartment of the patient is well ventilated. —

The causes are great debility, extreme prostration of the system, from violent exercise either of the body or mind. —

Cure The first remedy in the cure, is, Bleeding, but it does not follow as a consequence that it is necessary in all instances, but

on the other hand, must always



is necessary in all instances, but  
on the other hand, must always  
be indicated by the existing  
Symptoms, and the Physicians skills.

2 Emetics, Cullen and most  
of the Edinburgh Physicians  
were in the habit of giving  
Antimony in nauseating doses.  
Dr Chapman purges actively  
instead of administering Emetics.  
His purges consist of Calomel  
alone, or combined with Jalap  
or Rhubarb.

3 Cold applications and Currie  
was among the first who recom-  
mended this practice with  
great confidence of its efficacy.  
It may be employed in dif-  
ferent ways. 1 Emersion 2 Immersion  
and 3 Spraying which method  
Chapman a disses, and says  
the Temperature of the water ought  
to be reduced to 40 or 45° F°.

Dr Jackson was in the habit  
of giving Cordials or opium, in order  
to awaken the sensibility of the  
system and render more fit for  
the exhibition of Cold. -

Chapman never uses Cold applica-  
-tion, when the extremities are  
Cold, and an universal palsy  
prevails the whole skin; but on  
the contrary when the skin is  
hot, but not in a state of per-  
-spiration or sweat. -

If the progress of this Fever is  
not arrested, by the remedies already  
mentioned, it has been, and is still  
the practice, to give diaphoretics.  
They should be of the milder kind  
such as, the Saline ~~Salt~~ mixture  
Antimony is not admissible in this  
Complaint. - Volatile Alkali is  
very useful, in substance, but the  
Sulep is far preferable by Dr Chapman.



It is made as follows

Salt Ammoniac  $\text{r} \text{m}$  13  
 Gum arabic  $\text{m}$  23  
 loaf Sugar  $\text{m}$  13  
 Water  $\text{m}$  43

Give the ordinary dose  
 but the Physicians must be governed  
 by the demands of the Symptoms

Uine whey is efficacious and  
 is composed of Common

Milk  $\text{m}$  2 parts  
 Wine  $\text{m}$  1

If it should prove too strong  
 dilute with water and if too  
 weak add more wine.

Camphor has many virtues in  
 this disease but Chapman prefers  
 the Volatile Alkali. The most ap-  
 proved method of giving Camphor  
 is the Sulep made as follows

Gum Myrrh — — — 13

Loaf Sugar — — — 23

Camphor — — — 1/2

Water — — — 6 3

Table spoon full or 1/2 3

Sinapium are used by many  
Anchors but Chapman prefers  
Blisters, particularly in delirium  
Darwin does not exhibit them neither  
does Thomas, man of great standing  
Opium, its use is yet contested

but Brown is a great advocate  
for it and Sir George Fordyce is  
decidedly against it. — Chapman  
thinks that opium possesses many  
unrivalled virtues, when given in  
small doses, as follows, 1 gr every  
2 or 3 hours pro re nata.

Many of the Wines are ex-  
-tremely efficacious, Blackbird St,

It is inveterate — — — 39



- Ministry of P. Caccus, Blackbird St.

39  
An involutionary discharge of  
gummy suppurative opium cannot be  
excused. - The diffusible stimuli  
are often resorted to, and they  
possess great virtues in restoring  
a much debilitated system.

The P. Bark is thought by R.  
Chapman beneficial although  
he has many opponents. - He  
observed that this, if ever frequently  
manifested symptoms to subvert  
or remit, and in such cases the  
P. Bark is extremely useful.

When the Stomach will not bear  
it substitute bitter and aromatic  
drinks, one of the best of which is  
the Serpentina Virginiana -  
Carbonic acid has been recommended.  
London Porter, taken in the dose  
of a Tablespoonful every 2 or 3 hours,

Sir George Fordyce first employed  
the acid, but Chapman does not  
use them which he has it in his power  
to procure the others already mentioned.

The Muriatic acid is thought the  
best given in drops of from 10 to 12  
drops every 2 or 3 hours. — The

Colatitic Alkali is given in drops  
of 10 gr<sup>m</sup> every hour, while the  
patient is advised to use the Wines

Copious by (alladeira). Peppier  
especially Cayana, is given in the  
quantity of 5 or 6 gr<sup>m</sup> every hour or  
2 or 3 hours in pills. — It has been used  
with considerable advantage as Lobos,

Peppier — 1 Table spoonful  
Brandy — 2 Table spoonfuls

rub the system well and good  
effects may result. — Cantharides  
in Spirit of Turpentine as follows  
Cantharides — 1 3  
Spirit Turpentine — 6 or 5 3

dip ragging and apply the




Opuntia coccinellifera 605 3

dip rag in, and apply them  
as you would Blister the  
An. t. p. m. o. t. i. e. as must be have  
likewise been used in the following cases

Musk 1000 93  
Gum arabic 1000 93  
Erag. Sirogor 1000 13  
Water 1000 63

A Tablespoonful every hour  
or two. Asparagella combined  
with hot water, Chapman gives with  
Gum Asparag 23  
Hot water 13

Don as usual: Tablespoonful  
When the disease progresses so far as  
to ~~be~~ destroy the susceptibility of  
the system particularly the Plethora  
inject Wine. Landdamm. &c



The late Epidemic appeared  
in the State of New Jersey in 1806  
and in the City of Philadelphia  
in the close of the Winter 1813,  
and the commencement of the winter,  
1814. This disease is a Proteus, ap-  
pearing in the first instance certain  
symptoms, succeeded immediately  
by a contrary and directly op-  
posite appearance. The system is  
now prostrated, the skin is hot and  
dry, face pale and livid, and  
when further advanced, the eyes  
wild and glassy, great uneasiness,  
pulsus fœtib. quick and tumultuous  
excruciating pains in the head  
occasionally, delirium, stupor  
and lethargy. Immediate  
death often closes the life of the  
patient, <sup>with</sup> pains in the Stomach

back, head, particularly Small



93

back, head, particularly small  
joints, as yet unsettled but is apt to  
concentrate in the head, so as to de-  
stroy vision: Coma and paralysis,  
superior, extreme Pangs, mind  
much agitated, and repeatedly  
paints the most frightful phan-  
toms of the most hideous animals,  
and appears to employ itself in  
Comparing Hallucination. - It  
sometimes presented itself in the  
form of Pneumonia, beginning  
with Chills and Fever, Congestion  
in the Lungs known from the  
patient coughing up Blood.  
It is not unlike the inflammatory  
billious fever, and was the Phy-  
-sicians were accustomed to its  
variety of appearance, would  
often be disappointed in the Cure,  
by treating it as an inflammatory  
Case in SSSSSS

The patients are covered with Petechiae  
vibices &c like the Spotted Fever.  
Dr. Chapman observed that the cases  
he saw at Alexandria were of  
this early and slender & the most  
formidable, when attended with  
an enlargement of the Throats  
not the Glands. This disease cannot  
be called a Fever according to  
all nosologists, Chapman. There  
are extravasations into the cavity,  
and dissection has often found  
a dark grumous quantity of  
blood in the Brain. - Chapman  
believes it to be a typhus action  
modified greatly by the peculiarities  
accompanying the disease.

The origin of this formidable  
Complaint is yet undispensed in ob-  
-curity. - Dr. Chapman is disposed  
to impute its origin to a low



degre of temperature, but many  
 difficulties present themselves in ac-  
 counting for it in this way and  
 he finally confessed that he must  
 resort to a depraved atmosphere  
 for its existence. - Modes of  
Curing. Bleeding was used as a re-  
 medy, but was eventually abandoned  
 by almost all the Physicians, and  
 the stimulative medicine adopted.  
 1 Mode Stimuli, & Sweating and  
 Chapman prefers the latter - agree-  
 -ment with the City Practitioners. -  
 Dr. Chapman exhibited the well  
 known Powder powder 10 or 15 grs  
 every 3 or 4 hours. - Hot fomentations  
 to the extremities and corns etc.  
 Corn boiled is a good sweating  
 article. - Chapman says that  
 he never lost a patient when he  
 produced Sweating.

Volatile Alkali 10 grs every hour,  
or more can, would not demand more  
than 3 grs. Can scarcely in 1/2 lb,  
of Turpentine. - Cayenne pepper  
in Brandy. Emetics are beneficial  
and ought to be followed by purges  
Calomel combined with Opium.  
Lancet never was called for in Chap-  
man's practice, although he  
thinks other climates would  
demand its use. The death of  
the patient is characterised by  
a leaden colour in the face, or a  
copper coloured hue. These are  
indubitable and invariable symp-  
toms of approaching dissolution.

off du - at - 17



47

The Yellow Fever, Scleroder

Chapman, refers to Rush's works  
or they contain all the informa-  
-tion that he (Chapman) conceives  
himself capable of giving. First  
known in the West Indies, but  
has occasionally visited the U. States  
from the time of their Colonization.

The year 1793 is particularly  
marked with its ravages. To detail  
the contrariety of opinions, as it re-  
-spects the origin of this disease  
would consume too much time,  
and observe that, besides from  
tropical climates, most frequent-  
-ly an ac-companied with it.

Chapman says, all contagious con-  
-fusions are owing to a degeneracy ac-  
-tion. - As then differs, as to the  
nature of it, whether or not it is a  
disease of the typhoid or inflam-  
ma-tory action.

Chapman asserts positively, that I as-  
-sumed as an inflammation long and  
was cured by depleting, muddling  
in this city. Dr. Rush thought  
that it was an aggravated case  
of our inflammatory bilious fever.  
Dr. Physic reports that from  
numerous dissections, he is authorized  
to say that the Stomach is its seat,  
and that the Liver with the Brain  
ever characterized by healthy and  
their natural appearances. The con-  
-tents of this organ, the Stomach, was  
vordid matter secreted by it, and  
not a vitiated condition of the  
Bile. - in common  
The Cure consists of Bleeding,  
purging, &c. The best purge,  
an Calomel Chapman. He has  
a numerous band of opponents  
in the use of Mercur, although  
it has many more advocates, at this



the use of Mercury, although <sup>49</sup>  
it has many more advocates at this  
time than heretofore - One of the  
greatest difficulties in the exhibition  
of Calomel, is that the progress  
of the Fever is so rapid that be-  
fore salivation can be induced  
the patient's career is finished  
and a termination is put to his  
life. - The following question was  
asked Dr. Physic, by Dr. Chapman,  
What does Yellow Fever resemble?  
Answer) That disease incurred by  
swallowing Arsenic or any other  
poisonous substance. - Dr. Jackson  
believed it to be highly inflammatory  
and bled from 80 to 100 oz. or more,  
Chapman does not recommend this  
treatment in most a manner, never-  
theless, he uses the Lancet when the  
Symptoms indicate Typhus. The  
Practitioner must not be governed  
by the public (good by Dr. Rush)

Calomel is less irritating than the mildest laxative, and is to be given in doses of from 10 to 15 grains every 2 or 3 hours until evacuation is effected. - Sweating -

This is to succeed the more depleting remedies. - The diaphoretic, or Antimony does not answer when the Stomach is irritable. -

Chapman gives Dover's powder, Eupatorium, Spirit of Mindererus and the Saline mixture. Cold affusions were much resorted to in the West Indies. - Blisters applied on the region of the Stomach, and other parts are often attended with evident success. - They regulate the pulse, induce copious perspiration, restore the breathing action. - In the first stage, the effluvia draught

Oleum Terebinthinae given in the dose



The first stage, the effluvia brought

51

Olum Terebinthina, given in the quan-  
-tity of 10 or 15 drops every half hour  
or more, pro re nata. When delirium  
supervenes, Cupping, Leeches, cold  
applications to the head and finally  
the opening of the Temporal arteries  
are necessary.

## The Plague.

This terrible disease  
is dependant, for its origin, on the  
causes producing other febrile  
dysentomies. - It originates from  
identity of cause with the Yellow  
Fever. - It is the consequence  
of the inundation of Egypt by  
the Nile, that it prevails more  
generally there.

Cure. It is customary to com-  
-mence the cure of this disease

with 16 mites, as it appears to af-  
fect the Biliary system more par-  
ticularly. - 2. Opdenham, Russell  
and many others, held copious by  
Chapman profers to provera  
medium. - 3. Sweating. Mild  
diaphoretics, are useful and must  
be applied externally. - 4. Cold  
applications. - many instances, are  
ex cited, to prove the efficacy of this  
remedy, that is, cold bathing. -  
5. Frictions with olive oil were used  
by Walsh and Jackson, but  
without any evident advantages. -  
6. Blisters. 7. Volatile alkali. 8. Lau-  
-sophor. 9. Mercury. It is often im-  
possible to salivate the patient before  
a termination is put to his life.  
which renders the exhibition of the  
last named article very doubtful.  
It is contagious, which is evinced  
by rubbing the pustules that



by rubbing the pustulent  
matter upon an abraded sur-  
face. If Variolæ, and a  
portion of Pustulent matter be  
tritulated together, the disease is  
brought on but its course is mild  
and the injury done to the system  
will be very superficial. —

Having completed what I pro-  
posed on the disease, with their  
Cures, of the first subdivisions,  
of the System, to wit, the Circu-  
latory, I now proceed to the  
Second which is the Alimentary.  
This includes the Stomach and  
intestinal Canal, the first  
of which is more indispensably  
necessary in the constitution of  
Life than any other part. —  
There are instances to prove this  
apertion, in those persons born <sup>alive</sup> with-  
out a head, Brain &c. —

# 1 Gastritis.

This disease is marked with prominent symptoms such as, acute pain in the precordia, great irritability, tension in the Epigastric region, pulse hard, and contracted, great prostration of strength, hiccupus, matter discharged similar to that vomited in the Yellow Fever black. - Great pain is experienced often in the large toe, and groin, loss of voluntary motion, an aversion to water, and light, &c. - Dr. Phipps says that excruciating torment is felt in the Labia pudendi of females which is a circumstance not generally known among practitioners. -

Cure. This complaint calls



Care. This complaint calls

for 10 venesection, regardless of  
the pulse, to the amount of  
10 to 20 ounces, and repeat as of-  
ten as the case may require, which  
is every 6 or 24 hours, pro re nata.  
Much fever does not attend this  
disease. - In almost all cases  
internal remedies can not be  
used, but when the case will  
admit such treatment Chapman  
gives 2 purges, and those consist  
of Calomel as he believes it less  
irritating than the mildest pur-  
ges of any other article. 2 Enemas  
composed of

Manna water — 1½ lb or pint

Olive oil — — — 1 3 or more

every 2 or 3 hours. - In Cholera  
morbus the Epsom salt, Sulphate  
of Magnesia, is a specific Chapman

4 It is the practice with many  
an chor to use demulcent drinks,  
but Chapman does not acquiesce  
with this. - He prefers Lime  
water and milk, and Bread  
crusts. - After depleting the  
patient, 5 Warm Bath. - 6 Blis-  
-ters, but above all remedies, the  
Lancet is superior.

Inflammation of the Stomach  
from Poisons. - An axioma.  
All poisons in small doses are  
medicines, and all medicines in  
large doses are poisons. Opium  
When taken either accidentally, or  
designedly, with the view of committing  
homocide, produces stupor, delirium,  
insensibility, and eventually death.  
Its effects, in such cases are best coun-  
-teracted, by a vomit, which  
Dr Chapman observes should consist



Dr Chapman observes should consist  
57

Tartar Emetic  $\text{m} \text{m} \text{m}$  10 grs

Ipecacuanha  $\text{m} \text{m} \text{m}$  30 grs

It is not uncommon to administer the Sulphate of Zinc, white vitriol, in doses of 20 grs to 13 and repeat it necessary. - Cataplasms applied to the region of the Stomach have been proved efficacious. - Tobacco leaves steeped in vinegar are often recommended with benefit. - One - chancical lotions of the Stomach with an instrument for the purpose. Dr Chapman does not advise the attempts usually resorted to for rousing the patient, such as, tossing, shaking and compelling the patient to take exercise. Palliatives, the acids, 2 volatile alkali or Sulph, in doses of a table spoonful.

Opium has been a deantagonist  
used in curing the evil effects result-  
ing from having swallowed an overdose  
of Digitalis purpurea. - Emetics  
are indispensably necessary in both  
the mineral and vegetable poisons.

Corrosive Sublimata, is decomposed  
by the albumen of Eggs, given in large  
quantities. - Copper, is rendered  
inert by exhibiting, Sugar, Molasses. -  
The deleterious effects of the muiriate  
of Tin, are destroyed by raw milk.  
The muiriate of Soda, counteracts the  
poisonous <sup>or virginous</sup> quality of the Nitrate of  
Silver. - The bad effects occasioned  
by the preparations of Lead, particularly  
the acetate, are suspended and  
retained by Sulphate of Soda, or mag-  
nesia. - It means when antimonial



When antimony  
have been swallowed, the common  
Tea, P. Bark, Gals &c, are super  
and efficient in correcting their per  
-icious tendency. - The mineral  
acids are treated by the use of the  
Calcined magnesia.  
~~Hydrogenous~~ mineral water. -

The vegetable acid, by acetic  
acid or strong vinegar. - It is an  
-tidote as it has been discovered  
for arsenic. - A gentleman whose  
name is Bertrand asserted that  
Carbon was a specific against it  
but on experiment it was found  
to be inefficient. - In such  
cases after evacuating the stomach  
effectually, demulcent drinks are  
to be taken copiously, such as Gum  
Arabic &c. Oil or any nuculous  
substance is never to be given in

Case, when Arsenic has been swal-  
-lowed. - Chapman advising, the use  
of the Lancet, subsequent to the other  
depleting remedies, and after the  
more severe symptoms have sub-  
-sided. - There are some poisonous  
instances, cannot be cured in  
consequence of their firm adherence  
to the intimate Coat of the Stomach.

Dyspepsia. Is known by nausea,  
vomiting, sour eructation, constriction  
about the precordia, Constipation, paleness,  
languor, dejected spirits, uneasiness, loss  
of sleep and rest. - It is sometimes  
accompanied with pain in the head and  
Breast, as in Consumption, vision inter-  
-rupted, blindness. - Amongst other symp-  
-toms, vertigo, palpitation of the heart,  
not unlike anæmia in the Aorta.  
The appetite is not uniformly impaired  
Cause, improper diet, and drinks,

Strong Coffee, Tea, vegetable matter,



Strong Coffee, Tea, vegetable matter,  
and acids, excluding the use of animal  
food. - Cure, I. & M. are perni-  
cious, and most of the Saline mixtures.  
Other causes not mentioned above, Indis-  
-cution, and sedentary habits, intense study,  
exposure to cold, particularly in winter. -  
1 Ipecac is best, as an emetic. 2 purges  
of the mildest substance, Chapman's  
Laxative.

Black Sulphuret of Iron  
and Calcined Magnesia aa 3ss given  
a dose at bed time in warm milk. -

Creta preparata. - after purging  
Tonic, Compound of Gentian and  
Spirit. - P. Bark in decoction or in  
fusion with some aromatic substance.

Mineral Tonic

Carbonate of Iron 10 grs  
Ginger 5 grs

3 or 4 times a day. -

Cornu Rhabarb. of Siquind. - The  
 following is an excellent combination of bitters,  
 Ferro Rubiginum in 3ss  
 Orange Peel, and Gentiana aa 3ss digest  
 in port wine in the Sun, and give  
 a wine glass repeatedly during the day.  
 Sal martii in 1℔  
 Gum arabic in 1/2 ℔ make  
 into 30 pills and give 2 or 3 often  
 in the day. -

Cardiaca, Limb water and milk,  
 Alkali, and absorbent. - Vegetable al-  
 -kali, or

Salt & Tartar in 2℔  
 Spirit Lavender in 2℔  
 Loaf Sugar in 1℔  
 Candianum in 30 drops  
 Water in 3℔ a

table spoonful when the disease is pain-  
 ful or nervous. - Vol. alkali, in pills,  
 Sulep, and in aqua ammoniac. dose  
 of the latter half a table spoonful. -

Gastrostomica. This is to be treated



63

Gastrodynia.. This is to be treated  
with opium, Ether, &c. Blisters,  
are useful and often necessary. -  
A favorite prescription, with Chapman,  
Dietary as follows. - - - 1 quart  
Common doot - - - - 1 tea cup full  
Boiling water - - - - 1 Gallon  
give from  $\frac{1}{2}$  to 1 Wine glass full  
4 or 5 times a day. -

Pyrosis - This disorder originates from  
a long use of salted animal food.  
Chapman thinks it owing to a disor-  
-dered secretory action of the Stomach.  
Cure. 15 mites, &c. The most  
order of 13 is much frequently in  
the U.S. but not in this city. The  
dose is from 10 to 15 gr with Gum  
arabic q. s. -

28 Jan. 4, 1817

2 Intestinal diseases - and include,  
1 Enteritis, respecting which I said  
something, under the subject Gastritis.  
These complaints, require a bold  
practice. To remove constipation  
must be one of the first indications  
in effecting a cure. - Dr. Chepman  
gives Calomel for this purpose, and  
if it does not operate as soon as the  
physician desired, exhibit Castor  
oil. - Emollient injections, are very  
useful and should be resorted to re-  
peatedly after the operation of other  
purgative remedies. 2 The Pirilonitis  
- is subject to acute diseases,  
which are attended with pain,  
great heat, thirst, dryness of the  
mouth and fauces, not unlike  
that in Typhus. (The pain may be  
local or general.) The patient in

this disease more generally con-



65  
this disease, more generally, con-  
-fines himself on his back with his  
knees retracted or drawn up, pulse  
from 100 to 140 in a minute. - When  
the patient can extend his legs it  
is a good symptom, and the danger  
less. - A black matter is frequently  
discharged from the mouth, similar  
to Coffee grounds. - Cold sweats  
and extremities, stupor, delirium,  
insensibility finally close the scene.  
Dissection, prove that the Peritonium  
is inflamed, <sup>only</sup> while all the coats  
of the Intestines are in Entitis. -  
There is an extraordinary phenom-  
-enon attends this complaint to wit,  
no disposition to evacuate, and when  
evacuation is procured, the pain  
is not lessened or the excruciating  
agony soothed.

The London Practitioners use opium  
but Chapman does not acquiesce with  
the practice. - The Chapman, com-  
- munes the cure, by 1 Bleeding copio-  
- ously, say to 25 or 30 3, and repeat  
according to the prevailing symptoms,  
without being governed by the pulse,  
2 Diaphoresis, and then externally  
applied, vapour bath is recommend-  
- ed by Chapman. - Internal  
Sweat, are produced with the Powder  
powder. - 3 Blisters, do harm when ap-  
- plied too soon, and should be pre-  
- ceded by other depleting medicines.  
Some cases will not admit the use  
of the Pain except sparingly,  
and in such circumstances, evacuating  
remedies are our dernier resort. As  
has before been mentioned, the va-  
- pour bath is the most beneficial.  
There yet remains to be spoken of

a disease denominated Chorea



There yet remains to be spoken of

a disease denominated <sup>67</sup>Chronic  
form of Peritoneal inflammation.

The usual symptoms are loathing  
of the abdomen, tongue furred in  
the morning, great thirst, no heat  
apparently on the surface of the body.

The most intractable cases are  
those in which the chronic form  
is succeeded by the inflammatory  
action, and to procure a cure  
in this complaint demands the  
utmost skill, and unabating at-  
tention. - The cure is to be effect-  
ed by the remedies already enu-  
merated. - Recollect in all dis-  
eases of low action, and great pro-  
stration of strength, when Blesters  
are requisite, apply them to the  
upper extremities, as those parts seem  
to possess more vitality, and susceptibility  
of being roused. -

3 Colic. This is known by extreme  
pain in the lower belly, contraction  
of the muscles, alternate gripings &c.  
Chapman divides Colic into three Sp-  
-ies, to wit, 1 Flatulent Colic, 2 Bilious  
Colic and 3 Colica picrotoxa, named  
from Picro, in France, or from  
Perityphlitis. - The first species is be-  
-cognized by the cause, inducing  
it and from flatulency, Flatul. -  
It proceeds from Cabbages and  
other indigestible food, Cold, &c.  
Cure, 1 Warm water, Camomile Tea,  
subdue the pain by cordial drinks,  
and Anodynes, such as. Ether, Cam-  
-phor, Laudanum, Oil of Cinnamon &c.  
When it originates from cold apply  
heated Substances on the region of the  
Stomach, hot water, Sand, wheat, oats,  
or Salt, all of which articles must be  
raised to a sufficient warmth.



or Salt, all of which articles must be  
raind to a sufficient warmth.  
After the use of these Remedies, <sup>2</sup> purged,  
hereafter to be spoken of more particularly,  
vomiting is frequently an attendant  
of this species, and Chapman has  
witnessed a case, when the stomach pas-  
-sion was the consequence of eating  
indigestible diet. —

2 Pillsbury - is common in the stomach,  
and the <sup>pure</sup> characteristic symptom  
is a chill preceding the complaint.  
Cure 1 Bleeding, to the amount of 20 <sup>3</sup>/<sub>4</sub>  
from an adult, 2 leading indica-  
-tion is to open the bowels. - It  
might at first view seem proper to give  
Cathartics, but the irritability of the  
parts will not permit their admin-  
-istration. - 3 Lime water and milk.  
The exhibition of Opium and Lau-  
-dum is rejected by many

and used in injections. & The  
warm bath is an excellent applica-  
-tion. - 3 A strong decoction of Senna  
given in doses of 1/2 pint are serviceable  
as an emulsi. - 4 Turbithina in  
-jection is as follows. Take of  
Oleum Turbithinae — 1 Tablespoonful  
Whites of Eggs — — 4 or 6 —  
Water mixed in — — 1 pint

Cold water has been applied with  
success. Rush: One pint of ice  
water overcomes the most obstinate  
Constipation. - 8 Tobacco ought  
not to be employed without all  
others fail. When it does become ne-  
-cessary, it may be given in 2 ways  
1 decoction pint of water, and half  
the quantity injected. - 2 method  
of giving it is the vapour or Smoke.

Dr Chapman has been pleased



Dr Chapman has been pleased  
with the success he has met with  
in giving a Solution of Tar. Ematic,  
as follows.

Tar. Ematicum — 20 ℥  
Water — — — — 3 or 4 ℔  
give a ℔ dose until it operates  
per se. —

The most  
lenient laxative is milk of Sul-  
phur, and must be had recourse to  
when drastics fail. — Castor Oil  
and Epsom Salt. — A favorite  
prescription with Chapman.

Opium — — — — 3 ℥  
Calomel — — — — 10 or 15 grs

every 3 or 4 hours. — The opium has  
great influence in quieting the  
restless, up of the bowels, and eases  
the irritability of the Stomach.

℔ Blister are to be resorted to when

Other medicines are ineffectual, -  
3 Specie. Colea Pictorum, unusual  
and produced by acid drink.  
Cold food hard by digestion.

The ordinary symptoms are, pain  
in the abdomen, thirst, sickness at  
the Stomach, full weak, quiet  
and chorded. - In the Billions, Colea  
the contrary is marked by a full  
strong, and hard pulse. - Cory is  
synonymous with the preceding

Cory. - 1 Bleeding, a purge  
and above all Opium and Calomel.

4 Cold water, 5 Castor oil, 6 Epsom  
Salt, 7 Gum Guaiacum, 8 Blisters,

9 Allium 10 or 15 grs every 5 or 6  
hours, was the practice of Perivale.

10 Moly, solution, Allium and  
white vitriol, in equal quantities,

do a Sublimation every morning



don a Subliminal - cure every morning  
to affect a permanent Cure.

Having finished the Cures of the  
three preceding diseases, I will  
turn up my practice in a few  
words and a condensed style. —

1 Bleeding - 2 Opium and Calomel  
3 Injection, - 4 Blisters on the  
Abdomen, and 5 slight saliva-  
- tion if any symptoms of Paralysis  
occur. — Arum Arum Arum

Cholera Infantis — Morbus

This complaint prevails in all  
Seasons, but more particularly  
in the winter. — It originates from  
identity of Causes, that other dis-  
- eases of the Alimentary Canals, viz,  
Cold, mawk exhalations, food  
difficult of digestion, &c. —

The symptoms are pain in the ab-  
-domen, distension, flatulency, puls-  
at first weak, and fluttering, but  
as the disease advances it becomes  
more so, extremities cold, laborious  
respiration, great restlessness. - This  
is distinguished from the Colic by  
the absence of constipation, and  
from dysentery by the appearance  
of the feces. - The Liver is stimu-  
-lated, and a profuse biliary dis-  
-charge ensues. - The Bile thrown up  
does not differ from that in other  
diseases, neither as to its ap-  
-pearance or acrimony. -

Cure. First indication remove the  
Causes. - Opiate, in the commence-  
-ment may check it but if they  
should not resort to the following  
beginning of treatment. -

Chapman Nov 20 9m. Specimen.



75

Chapman gives 20 gr. Ipecac.  
and facilitates its operation by  
copious drinks of Camomile, Borley,  
Tea or Chicken soup. - This has the  
tendency to allay irritation, and calm  
the spasmodic structure. - Bleeding  
is the next remedy, and Chapman  
gave a general rule, that, when  
the pulse is low, in any disease  
where pain exists, bleeding raises  
~~the~~ the pulse - Too much blood must  
not be taken, as the patient's life may  
be destroyed by subtracting too great  
a quantity, and thereby incapacitating  
the system to react. - I proceed then  
as the Lancet by warm baths  
kept at advantage is denied from  
enemas. - Opium will rest on  
the stomach, when Laudanum  
will not. - Warm fomentations  
on the region of the stomach. -

If vomiting continue, Lime-water  
and Mith are efficient medicines.  
to Blisters, on the Stomach and  
if necessary on the extremities, both  
<sup>upper and lower.</sup> This disease  
in its ordinary shape, is generally  
tractable, but Cases occur in which  
the Complaint runs its Course  
in 24 hours. - Dr Chapman says  
a case produced from eating  
Water-melon at the usual time of  
dinner and the patient's life  
terminated that evening. - Avoid  
cold extremities. - The mildest  
Laxative, such as, Magnesia  
an to be given. - & Bitters of  
Guaiac, or Columba root is  
preferable. - We next proceed  
to treat of the formidable  
disease known by the name



77

Cholera Infantum. - This  
is prevalent in the U. States and  
appears about the period of  
Epidemic. - Chapman does  
not recollect of having any  
cases lately. - Dr. Rush's ~~fringe~~  
~~and~~ definition is thus, "It con-  
=sists of purging, vomiting, in  
Children". - It is likewise called  
male and female disease.  
It generally appears in September,  
at the age of 2 years. - The symp-  
=toms are fever, evacuation from  
the Stomach, green, - pain very af-  
=flicting, head warm, tumefaction  
of the abdomen, patients sleep  
with their eyes half open. - The  
fever is of the remittent kind, and  
exacerbates in the evening. - The  
=vacuations are large and fetid.

If the disease has progressed so far  
as the symptoms of long months, few  
children recover. - The causes, mostly  
generally, are improper diet, and  
clothing. - It has been found by  
dissection, that the Brain, has a  
morbid appearance, while the ab-  
dominal viscera retain their heal-  
thy cast, or colour. - Dark spots  
are found in the intestines, and  
particularly in the duodenum. -  
The Liver is enlarged, changed,  
from its natural position, and  
indurated. - The Gall Bladder  
is filled with Bile. - The disease  
is at first a gastric complaint. -  
Cure, The first indication must  
be the removal of the cause or causes  
producing it, and this end is ac-  
complished by evacuation. - The most  
bland purges should be given at  
first, such as Castor Oil. - If the



first, such as Castor oil. If the  
irritability of the stomach will not  
admit of medicines through it  
injections per anum are to be used,  
and those of the anodyne class.

But if evacuations are wanted  
for Chesneau gives Calomel,  
it allays the irritation, and the  
quantity necessary is so small as  
not to interrupt that organ.

Then Chesneau, favorite prescrip-  
-tion Commin, which is as follows

Calomel — — — 10 grs  
Opium — — — 3 grs

every 3 or 4 hours until the  
system is quieted. — When the  
irritation has abated so as to un-  
-derstand Intestines, give 20 grs of Sugar.  
If in this disease the pulse rises  
and indicates any symptoms of

an inflammatory diathesis, bleeding  
will be demanded, and on this  
point the Physician's Skill must  
be his index, as all rests here. It  
is the practice with many Practitioners  
to give purgatives daily, but  
Chapman condemns them after  
the first or second operation, and un-  
der an accumulation of biliary excreta.

Treating remittent. The following  
is used by Chapman

Gum opium — — — — — 1 grs

Calomel — — — — — 3 grs

Spica — — — — — 2 grs

make into 6 pulvers, give every  
2 or 3 hours. — If great pain af-  
flict the patient, increase the  
opium. — Warm Bath,

daily, and if necessary 2 a day.



daily and if necessary 2 a day.  
4 Blister, are resorted to frequently  
and may be applied in almost  
all stages of the disease, on the  
Stomach and Abdomen. -

5. Alkaline, as follows taken of

Eretha prep<sup>ta</sup> ..... 23  
Loaf Sugar ..... 13  
Laudanum ..... 15 drops  
Water ..... 3 oz  
give a spoonful every 2 or 3 hours.

Another Recipe, to cure,

Bluebottle ..... 10 grs  
Magnesia Cal. ..... 40 grs  
Tincture of opium ..... 15 drops  
Loaf Sugar ..... 13  
Oil of Aniseed ..... 10 drops  
Water ..... 3 oz

The same dose as above.

Mineral or tringents, allow in  
doses of 2 gr of pinus  $\frac{1}{4}$  or  $\frac{1}{8}$  gr. -  
The Lignwood is recommended by  
some in the City as follows - make  
a strong decoction and give a Te-  
-stispoonful every 2 or 3 hours -  
Dr Chapman hecifer make a  
strong infusion of the root of the  
black berry or dew berry, and  
give a spoonful as usual, every 2 or  
3 hours - 1  $\frac{1}{2}$  root to a pint water -  
Some direction, never take the Breast  
from a child under a year old.  
2 Cold bath daily. 3 Flannel, and  
yarn stockings. 4 diet little or  
no fruit. - 5 during the period  
of dentition, lance the Gums if  
any tumor or swelling appears, or if

the parts painful. 6 This is



83

the parts painful. & This is  
of the utmost importance, a change  
of air, exercise moderate. They will  
cure when every other fails.

Dysentery — 4<sup>th</sup> Feby 1817

1<sup>st</sup> The disease commences with cold  
shivering, Costiveness, sometimes a  
diarrhoea, tenesmus, a discharge of  
mucus tinged with blood, loss of  
appetite, vomiting, pyrexia, either  
intermittent, inflammatory. This is  
not contagious unless of a typhoid  
nature being an attendant either in  
the beginning or having appeared that  
appearance during its progress.

The sudden checking of perspiration  
often is a cause. — The Stomach  
is the Throne of this Complaint, Chap.

Causes The first in indicating in effecting a cure are to remove irritation, supplant a morbid action, regulate the health, and overcome spasmodic affections. —

Emetics in this disease are not altogether admissible notwithstanding my great partiality for them, Chapman — 2 Ven-  
= sections. 3 purges mild, as Castor oil,  
in doses made to give the patient 2 or 3  
in the day. — Mercu-  
= rial purges, are  
to be preferred in hot weather, as the  
pre-disposition of the system to generate  
Bile is great at this time. — Chapman  
exhibits Calomel alone, in the com-  
= mencement of the disease, but sub-  
= stitutes, Castor oil, or Epsom salt, to  
be given daily until a healthy feces  
are voided. — Chapman likewise  
is a great advocate for the use of  
stimuli and has many of



opium and has many op-  
ponents, ~~but~~ <sup>and</sup> ~~that~~ <sup>the</sup> however, that his own ex-  
perience and observation authorize  
the free use of opium, and that  
no theory, or argumentative deduction,  
however plausible, can ever entice  
him to abandon his own opinion  
which is founded on facts, the most  
obstinate and incontrovertible.

4 Smoking remedy. In the use of  
diaphanics, we can meet three indi-  
cations, 1 to open the bowels, 2 the  
skin, and 3 allay irritation, ~~and~~  
and for this purpose the following  
Recipe is given by Chapman,  
Opium in in in 6 grs  
Calomel in in in 16 grs  
Spicae, in in in 8 grs make  
8 pills or powder, give 1 every 3 or 4 hours.  
Auxiliary means are to be used such as

fermentation, to the region of the ~~Stomach~~  
and bowels, externally. - The warm  
bath is advantageous. - The applica-  
-tion of Flannel rolled 7 or 8 times, is  
suggested by Pour of the practitioner.  
- raman. - It acts, like warm bath,  
by removing local torpor, & obviating  
gripping pains, & removing depicted  
spunk and languor, & over come  
dyspnea, & remove the irritable sensa-  
-tion of the patient's belly. - It is peculiarly  
beneficial in old chronic diarrhoeas of  
after life. - Blisters are indispensable  
often, on the abdomen and extremities,  
some prefer the extremities as it would  
not incommode the necessary call of  
Salap and calomel, but Chapman  
applies them to the Belly, after de-  
-pleting the Bowels and Blood vessels. -  
Keep your eyes on Blisters practitioner.  
Tormina and Tormus demand  
particular attention at times.



Recipe

Castor oil  $\text{m m m m m}$  1  $\text{oz}$   
Ly. arabic  $\text{m m m m m}$  2  $\text{oz}$   
L. Sugar  $\text{m m m m m}$  1  $\text{oz}$   
Laudanum  $\text{m m m m m}$  60 drops  
Water Mint,  $\text{m m m m m}$  2  $\text{oz}$

Give half an ounce or one table spoon  
every 2 or 3 hours, this is the olea-  
ginous mixture. Opium and  
opac injected into the Pectus, in  
the form of a Pill. But should  
be low, for Sapioca, arrow root,  
Sago, with beverages &c. (Many)  
Confide in them on the absurd idea  
of Sheathing acrimony. —

There is a Typhoid form, which pre-  
-vails in Ships, Hospitals, or when  
large Crowds are confined. This  
is to be treated with Mercury so  
as to induce slight salivation. If the  
patient be very low, give diffusible

Stimulant, Wine and soon become  
-mend the P. Bark, but Chapin  
does not as he thinks it offensive to  
the Stomach and bowels, particu-  
-larly when great irritability is  
present. - Then yet remains another  
form under which this disease ap-  
-pears, that of the Chronic. This  
requires a very similar treatment  
to what has been proposed in the  
preceding. Chapin gives  
to oxygen powder with auxillary  
means at the same time for produ-  
-cing a diaphoresis. - The Flan-  
--nel Roller &c. -

Parrocha. It is a doubt whether  
or not this be a contagious disease.  
It is attended with no fever, or inflam-  
-mation, however not severe. -  
Chapin advises it in the



Idiopathic, and Symptomatic  
1 Idiopathic has its seat in the Stomach  
from indigestion, checked perspiration  
vehement passion &c. - First indica-  
tion is to remove the morbid cause.

If fever supervene, venesection will  
become requisite, succeeded by a  
diaphoretic mixture the base of  
which is Opium. 2 Warm Bath  
re-instate the bowels and its effects  
are much increased by the Spiritus  
Abundans. - If the pulse be tense  
or chorded, bleed copiously.

3 If need 2 or 3 times, at ~~any~~ night  
The following is a good recipe

Blue bark 30 grs  
Succadum 10 grs  
Opium 5 grs

Make into 10 pills one every 2 or  
3 hours through the day, and 10 <sup>grs</sup> Dover's  
at bed time.

The patient should drink of the  
Urine when libens at the time of  
taking the dover powder. - The  
Herk brush may be used at this time.  
Great success has been derived from  
the use of Allum, given as follows  
Allum in in in in 3 grs  
Opium in in in in 1/2 gr  
3 or 4 times a day, add Specac  
if the Skin be dry, or brush applic<sup>to</sup>  
with much friction. ~~Caution~~  
~~prescription with~~ ~~Opium~~  
White Vitrol in in in 3 3  
Allum in in in in 1 3  
Cochineal in in in in 3 grs  
Hot water in in in in 1 pint  
dissolve and Strain, add more Allum  
if you wish the solution more astrin-  
gent. - The above is to begin in  
doses of a table spoonful every  
4 or 5 hours for



night and morning for  
a length of time say 4 or 5 days and  
intermit. This is Mordley's Solution.

Dr. Barton extolled this medi-  
- cine, while Chapman declares  
it to be destitute of the virtues assign-  
- ed to it, and so extremely disa-  
- gruable that he can not prevail  
on but the fewest number of his  
patients, to make the experiment.

4 Blisters applied to the extren-  
- ities was Dr. Rush, practices

Alternate their application by  
applying them to the Abdomen

The infusion of Gall has been used  
successfully for the following <sup>men</sup>

Infusion in men 4 ℥

Purp. Chalk in men 4 ℥

Gau dan in men 1 ℥ Give

a Dose 3 or 4 times -

Spice Tinct. given in powder or solution  
or Tincture in

Tincture G. Tincture  
Pine and Chalk in aa - 4 3  
Gau danum in aa - 1 3  
Water in aa - 4 3

don as usual, Tally for 3 or 4 hours

The decoction of Logwood given  
in the quantity of Tab. Spoon, 3 or 4 hours  
Chapman recommends the above  
remedies, but says there are now  
equal to the decoction of dewberry  
root. - Exhibit this as a witness  
of blood. - The Mineral  
acids in old protracto diarrhoea  
have been employed with great  
success. - The vegetable acids  
in create the Complaint. Of  
the Mineral the Sulphuric  
but the latter



and Nitric an but the latter  
given in doses of 10 or 15 drops or  
according to some to 40 drops is  
attended with much benefit. The  
strictest regimen in diet should  
be adhered to. — The Mangel  
Roller. Mercury should be  
resorted to when ~~any~~ the Chylis-  
tic viscera are diseased. Ex-  
ercise, an iron back &c.  
In great constipation of the bowels  
Mist<sup>r</sup> of Sulphur and Mag-  
-nesia in equal parts. — Then  
an a band of disease originating  
from the presence of Worms,  
but I shall confine myself more  
particularly to the Febris  
verminosa. This is the consequence  
of the Lumbricoides,

It is marked by a voracious appe-  
tite, alternating with a loss, & fits  
breath, in the morning, tumefied  
abdomen in the evening, during  
the day the child is disposed to  
pick his nose, head ache, Cough  
and almost uniformly accom-  
panied with febrile symptoms,  
Startings in sleep, &c. The Fever is  
more frequently remittent, with  
swelled lips, and contracted hands.

Cure. Purge of Calomel in dose  
of 7 or 8 grains for a child 2 years old  
at night, and if it does not operate  
by morning give a portion of  
Castor oil. A second dose of Cal-  
omel may be given on the second  
day after the exhibition of the  
first, and manage the case  
as above directed.

next to Calomel Chapman



next to Colomel Chapman  
mentioned the Spigelia Mar-  
ilandica, (Carolina Kiss root)  
in powder or infusion. It may  
be given combined with Colomel  
Spigelia ..... 8 grs  
Colomel ..... 8 grs.

It has been used in conjunction  
with Scutellaria Virginiana.

The noted Prostrum of Mr  
Leman, vermifuge, is as follows,  
Spigelia .....  
Senna ..... aa

Leaves of Sassa a small portion.

Ulluborus fortidus, in 5 to 10 grs  
according to the age, has been suc-  
cessfully administered. Dr  
Dyott's celebrated Worm powder

was discovered by Dr. Poole of this  
City to be composed of  
Vellborax, fortidus, in  
this Mineral.

This requires great attention and is  
attended with some danger.

Next in order is the Melia Azadirachta  
China tree or pride of India.

The bark of the root is the part used  
in decoction, the dose for an adult  
is a Tea cup full, and less for a child.  
It is believed by some to be poisonous.

The Chenopodium Ancharum  
Jerusalem oak in decoction, a Sa-  
tisfying nursing and night. This  
article is seldom presented in con-  
sequence of its extremely offensive  
Smell. Proffera Inermis or

Cabbage tree of Jamaica. It may



Cabbage tree of Jamaica. It may  
be given in powder, decoction or ex-  
tract, but in decoction is preferable

Pulverisèd bark — — — 13  
Water — — — — — 1 Quarts

done for an adult 3 table spoon  
fuls, in powder 3 grs, and in  
extract 1 3 grs. For the expulsion  
of *Trinia* Chapman gave 12  
grains of Gamboge, at a dose  
and repeated every morning  
until, it was discharged, which  
was on the 4 or 5 day. —

Chapman gave from 3 grs  
3p to 3c of *Scilla* at the  
commencement of a dys-  
entery. To  
10 Feb 1817

Having finished the second  
division of the system, and the dis-  
eases to which they are subject,  
I now proceed to consider the third  
which is the Respiratory organs  
This I shall introduce with the  
disease called Cynanche Trachealis,  
Asthma, or Croup &c. This  
is confined more particularly to the  
ages from 1 to 5 years old in <sup>years</sup> children.  
It attacks children sometimes as  
young as 1 month, and adults  
but seldom. — The cause are a humid  
atmosphere, Cold &c. especially in  
the Spring. It is endemic in cer-  
tain places while neighboring ones  
are free from it. — Wells point  
is ravaged by it often.

the complaint, partakes of the nature



the complaint pastake, of the nature  
of opium. - When instantaneous death  
is produced, there are no symptoms  
left of a disease, but if allowed to  
proceed, its footsteps are marked by  
traces of inflammation. - Chap-  
man begins the Cure by giving  
Emetics, and prescribes the Antimony  
at short intervals, accompanied  
with warm bath. - If you do not  
succeed with this treatment, bleed  
copiously and apply a blister on  
the throat. - Chapman often  
bleeds ad deliquium urinae,  
and says he has been universally  
successful in this mode of treatment.  
He gives large doses of Calomel, and  
if it be attended with a cough, hard  
breath, and dry, tightness of the  
Chest he exhibits

Polygata Seneca. When the disease  
continues for 10 hours its influence  
is extended to the bronchia. - The  
Cough is increased, more hoarse and dry  
great anxiety, restlessness, and more  
or less fever. - In the still more ad-  
vanced stage, the Lungs are affected  
circulation impeded, legs white, pupil  
dilated, and respiration laborious. -  
Use warm bath diligently, and ac-  
tive purge, as the Sulphate of Zinc  
in dose of 20 grs or Tartar Emetic;  
Bleed little by little lest you debili-  
tate the system so as to destroy its  
power of re-action. - Blisters the  
whole Chest, and if it be necessary  
to produce vesication immediately  
apply cloths dipped in boiling hot  
water, or Cantharides or hot Spirit  
of Turpentine. Calomel now

has a specific action, and should



has a specific action, and should  
be given in large quantities. As much  
as 33 has been administered to a child  
18 months old, in the course of 18 to  
24 hours. - It was believed about  
time in England that the Hepar  
Sulphuris was a certain cure, but  
the opinion has been abandoned,  
and Chapman says that such a  
treatment here would kill as quick  
or as sure as a ball shot through  
the head. -

Catarh 12 Feb'y 1847

An inflammation of Muc  
-ous from the mouth and  
nose attended with more or less  
fever. - It originates from the  
changing of the temperature  
of the Atmosphere, Cold and wet  
rooms. The Mucous frequently

excoriate the parts. — The symptoms  
form an difficult respiration, pain  
in the head, hoarseness, swelling of  
the Trachea, swelling of the breast,  
dry, irritating Cough, &c. —

The disease subsides if not ill  
treated. Great attention ought  
to be paid to persons with weak  
Chests and colds. Croup is the  
result often from this complaint.  
The pulmonary consumption  
not unfrequently is the con-  
sequence. — CURE. In incipient  
Croup, the most effectual rem-  
edy is a large dose of Pandanus  
at bedtime (Physick and  
Chapman) — If in consequence  
of any circumstances, Opium  
should be improper, the next resort  
must be to the Pediluvium <sup>103</sup>



103

must be to the Pediluvium  
Spiritus, Stinder, with warm  
beverages. - Bleeding is sometimes  
required, Chap. litup a case  
when 100<sup>3</sup> blood was drawn.

Purges of neutral Salts com-  
bined with a small portion of  
Castor Emetic. - A Recipe  
Syrup Salt ..... 1<sup>lb</sup>  
Stirre ..... 2<sup>lb</sup>  
Cast. Emetic .....  $\frac{1}{2}$  gr  
divide into 4 doses, give one every  
hour until they produce an evac-  
uation. - In this country  
these discharges produce more  
of an inflammatory nature  
which renders it fit to counteract  
-ies at first, before pain super-  
-venes. - Purgatives are serviceable  
and sometimes of the first im-  
-portance.

Never apply them too early, but  
in the last stage, when pain  
exists. - When Coughing is troublesome  
the following are good Recipes -

Extract Squonid ..... 2 3  
S. S. Nitro ..... 2 3  
Laudanum ..... 40 grs  
Antimonial Wine ..... 1 3  
Warm Water ..... 3 3  
do a table spoonful every hour.

Another

Oxydul Squonid ..... 1 3  
Antimonial Wine ..... 1 3  
Nitro ..... 2 3  
Laudanum ..... 40 grs  
Water ..... 3 3  
Give as before Another  
Sath Tartar ..... 2 3  
Am. Wine ..... 1 3  
Laudanum ..... 40 grs

Compound S. S. Lavender 2 3



Compound Sp. Lavender 23

Water in in in in 3 3

as before, 1 Table spoonful, hour.

In this disease the strictest Regimen in diet is legitimate, vegetable food only to be used. Recipe

The vegetable Broth, is eaten.

Turnips in in in in 2

Potatoes in in in in 2

Onions in in in in 2

Water in in in in 1 Gallon

boil 2 hours, Strain, and add a little salt. - A small quantity of Salary may be an ingredient.

Influenza. This disease resembles the preceding, both in difference. The cause, of Catarrh an known, of Influenza unknown.

This is divided by some authors into many species, but Chapter 11

injection is into, <sup>vera</sup> Pleurumonia, inflammation — . The symptoms are dyspnoea, dry cough, pain in the Side, or breast. It commences with Cold tremor, respiration laborious, &c. The matter expectorated is tinged with blood. It more generally attacks persons of robust habits, and seasons in Winter, and Spring.

Cure. Bleed copiously, with large orifices. In the South when the complaint is frequent and symptoms high, take 30 ounces of blood, and repeat as necessary. — Bleed until the pain ceases, and breathing facilitated, whether 15 or 50 oz Chapman.? Real remedies 18 Blisters, postpone until the

System is reduced. — A Bleeding



System is reduced. - Bleeding  
Lustre, Cough, &c. - Copious evac-  
uations are not called for in this  
complaint. - Vomiting indicates  
either do good or harm. For the  
purpose of inducing diaphoresis,  
the Asclepias decumbens, with  
Ipecac. - The common antimonial  
powder is preferable with some  
practitioners. - After the cough  
with expectoration has begun  
give demulcent drinks. -

Bellous pleurisy, Known by head  
ache, red eyes, turned countenance,  
vomiting dark matter, with a  
furnetousness. - Bled until the  
system is depressed, which will  
be accomplished by 2 bleedings.  
Mercurial purge, and after-  
wards use the Serravallo's  
Virginia. -

Pneumonia Notha. The symptoms  
are similar to those exhibited in  
the preceding disease. - The attack  
is sudden, respiration laborious,  
an accumulation of mucus  
and phlegm on the Lungs. -

Cure. Bleed sparingly. Emul-  
sion of Sulphate of Soda, or Sugar.  
Blister to cover the Chest afterwards.  
Opium may be used liberally in  
all stages of this disease, contra-  
ry to the treatment of other pul-  
monary Complaints. - Alone it  
is efficacious but combined with  
a purgative article, better. -

A disease called Apoplexy  
of the Lungs, requires profuse  
bleeding, and afterwards, give  
a large dose of Opium. -  
Apply a Blister on the Chest.

Coughs  
Pertussis, Croup, or Whooping Cough.



Cough, Chin Cough, or Whooping Cough.

This disease is communicated by a specific contagion. - Its seat according to some, is the air vessels of the Lungs, some suppose it to be in the Larynx, some in the alimentary Canal, and by others it is thought a spasmodic affection.

Rhath of Glascow, appears to be an inflammatory complaint, situated in the mucous membrane of the Nose, Trachea, and Bronchiae. - It frequently leaves the nose, and descends into the Lungs and forms Tubercles. - Two indications present themselves. - First to overcome the inflammatory diathesis, which is to be done, by soon Bleeding, which facilitates Respiration likewise. -

a ctive Emmetic, then act by deter-  
-mining to the Surface and in-  
-tercepting the morbid train of ap-  
-pearing time, kept up. - Spicad. with  
white vitriol, not only act as an  
emetic but as an antispasmodic.  
Repeat, in the beginning of the dis-  
-ease, 2 in 24 hours if necessary or  
Nauseating dose, of Antimonial  
wine, Spicad. wine, or Orzuel  
Squill. - Purgers of Rhubarb, Magnesia  
or Castor oil, should be used as they  
are mild. - Calomel, this  
breaks the course, and is the most  
proper purger. - Local remedies  
are demanded to obviate the con-  
-gestion of the Lungs, and the best  
of these is inevitably a large  
Blisters

The second Stage of (Pneumonia). -



The second stage of (Portuguese). -  
Opium is required to calm irritation  
and quiet the cough. - Cocca,  
Hyoscyamus, Atropa Belladonna, &  
the *Patura stramonium*, have been  
resorted to, and Chapman conjectures  
the latter article would be beneficial.  
Castor, and Musk are used  
by many authors, but Cullen con-  
-demns them and Chapman is dis-  
-posed to doubt their efficacy. -  
Chapman prefers the Musk  
Contrary to Cullen, particularly  
in *Spasmodic*. It may be given in  
the Musk Sulph, but Children  
have a great aversion to it in this  
form, and it may be used as an  
Emulsion. The artificial Musk is  
composed of *Styracis acid* and Amber.

Chapman united together with ma-  
ny other practitioners of this City -

Use it as an Emulsion, and give  
from 10 to 12 grains to an adult, and  
from 1 to 5 drops to a child 12 or 18  
months old. - A Solution of Apa-  
sotida, as follows -

Gum Asafoetida ..... 23

Water ..... 8 3

do a Table Spoonful. as usual. -

P. Barker. - Annec. - Saccharum  
Saturni. Nitrate of Silver.

The alkalis have proved very  
great success, as follows -

Carbonate of Soda ..... 3 grs

Ipecac. Wine ..... 5 drops

Pandanus ..... 1 drop

Water ..... 13

very 3 hours to a child 12 months  
old.

Or other

Carbonate of Potash ..... 13



Carbonate of Potash — — — — 1 ℥  
 Cochineal — — — — — 10 grs  
 Water — — — — — 5 3

Dissolve the mixture and give a tea  
 spoonful 4 or 5 times a day to a child.

The Potash or Soda combined  
 with P. Bark, is serviceable in  
 this complaint, and particularly  
 in Intermittents as already mentioned.  
 Mixture of Cantharides, a few drops  
 with Sugar and water. — Strangury  
 often displants this disease, and  
 is treated to frequently. — Chesman's  
 practice may be summed up in  
 a few words. — In the first stage  
 which is inflammatory, Blue  
Mercurial Jungs, and if a great  
 accumulation of Phlegm exist  
 give Emetics and repeat, likewise  
 nauseating doses of Sugar or T. Fructus

should be exhibited during the  
intervals of the Eructs. - Blisters  
palliate with Opium the Cough.  
In the inflammatory Stage the  
watery Solution of Assafœtida,  
and alkalis. Great attention  
must be paid to the diet, which ought  
to consist of vegetable matter entirely.  
Clothing warmer than usual, but  
not to an excess. Preserve an  
equal temperature of the room.

Having finished the diagram of the <sup>115</sup>



Having finished the disease of the<sup>P. 115</sup>  
Respiratory System, I now proceed  
to treat of the Absorbent System.

The first is, Anasarca, together  
with Hydrothorax, and Ascites. Dropsy is an accumula-  
tion of water in any part of the  
System, either partial or universal  
in a greater quantity than nat-  
-ural. - It is the consequence either  
of an increased action, or a debil-  
-itated action in the absorbents.

Cure, depends on the action of  
the Lymphatics being restored.

It is attended with fever, and  
other inflammatory symptoms.

There are 2 indications in the  
Cure, 1<sup>st</sup> to evacuate the serous  
fluid, and 2<sup>d</sup> to change the Con-  
-dition of the System. - I will  
first mention the treatment of

of those cases attended with fever  
Reduce the system by Bleeding  
The pulse is hard, and chorded,  
skin dry and hot, tongue parched  
R. - Auxiliary to Bleeding are  
wacuating remedies, such as, Emetics  
which cause absorption of the  
effluvia, and relieve the Stomach  
when oppressed. Purge  
overcome Constipation, which exists  
in the commencement of the dis-  
ease. - They should be given every  
day if the patient will admit  
them, but soon strike is increasing  
in their exhibition. - Drastics  
have been used, but Chapman  
does not advise any in old  
chronic cases of long standing.  
Chapman gives the following  
recipe as an emetic purge.



Cream Tartar. — — — 2 or 3  
 Jalap — — — — — 10 or 15 grs

every 3 or 4 hours. — Chapman has  
 known a tumefied abdomen  
 depressed by this prescription.

It induces an artificial di-  
 arrhoea. — Diarrhoea, the best  
 of which is the above prescription.

Before the Tartar is a small por-  
 tion of water, or as an electuary,  
 which is a good Uteragogue,  
 and by far the most advantageous  
 manner of exhibition. — The

alkali, of them the Potash is  
 preferred, particularly in bad dis-  
 section, and drunkards. — In  
 dropping of high action the Nitrate  
 of Potash, <sup>good</sup> In large doses it dis-  
 turbs the Stomach, and which  
 cannot be given the elaborate  
 is preferable particularly in Children

Physicians do not give this article  
in a sufficient quantity to derive any  
benefit, and consequently ascribe it to  
be an medicine of little importance.  
Chapman says it should be given from  
4 or 5th  $\mathcal{R}$  3 times in 24 hours.  
A Spoonful is a good dose. Next to  
this Parsley is recommended, given  
in strong Tea. In inflammatory  
Cases we employ drastic purges, &  
Calomel, with Gamboge, Jalap, or  
Elatium. Chapman has used the  
Digitalis in all stages with benefit,  
but in a feeble exhausted system  
it acts most kindly. In Cases  
of high action it is perjudicial,  
when the pulse is full, extremities  
cold, Countenance pallid, this is very  
efficacious. Parsons gave it in  
all Cases of intemperance, and irreg-  
-ular, producing this disease.

119  
It best method of giving it is



The best method of giving it is in powder. Tobacco is nearly allied to Digitalis, but Chapman does not recollect of cardening any advantage from its use.

The Squills are useful in all species of Dropsy, but require Skille. - Chapman's Recipe

Squills	1 gr
Calomel	1 gr

3 times a day. - Callen Compound Squills with Spirit, it is not entitled to any notice. - When called to

Chronic Cases a two ounce, Diuretics are required. - Cantharides excite strong uric, when given in small doses, but in doses of one or two drachms, repeatedly in the day, pro-

-duce a copious discharge of urine. - Diuretics cannot be em-

-ployed in all cases. - Diapho-retics are of service, when the

pulse is tense and chorded, extremities cold, skin dry with other marks of debility. - Vapour Bath, Ipec, combined with Opium, an ung. and Opium has frequently been used alone. - Dover's powder has proved beneficial. - Blister, Microtoper. - In many cases the parts are denuded from long confinement in bed, in such instances Chapman says the Roller is of immense importance in restoring the progress of mortification. - Of ascites

This is a disease in which the effused fluid is contained between the Sack of the Peritoneum, the swelling is confined more especially to the Hypogastric region, and may be ascertained by pressing the hand on that



by pressing the hands on that <sup>121</sup>  
part, and thereby producing fluctuation. - The cause producing it is the same with Anasarca. - Flatulency is almost an uniform attendant on this disease and a certain symptomatic bond of Ascites. - Chapman's Theory of metan is an inordinate degree of flatulency, is that a gas is extricated, and is converted into a fluid. As this complaint is of few the consequence of a diseased liver, Mercury is demanded. One of the truest methods for evacuating the fluid is tapping, and is a safe one, provided the effused contents are not drawn off too suddenly removing the stimulus of distension which was so great as to keep up vital functions. -

Encysted Dropsy is contained  
between the Skin and Parietes of  
the Abdomen. - The symptoms  
are local swelling, an inclination  
of the water to one side or part, and  
the absence of Fever. - Menstrua-  
tion is not interrupted in this spe-  
cies, as in others. - The use of  
Mercury is called for. - Topical  
remedies. - I now proceed to speak  
of Hydrothorax the most dan-  
gerous form of Dropsy. - It is  
either in the Pericardium, Bron-  
chia or cavity of the Chest. - It is  
difficult to ascertain its situation  
at all times. - The symptoms when  
in the cavity, are laborious respiration,  
and on moving its mercurial posture  
is crouching Habit. - The  
patient cannot keep a horizontal  
position. an uneasy dry and

frequent cough, and some times



position. an urinary dry and

frequent enough, and sometimes  
attended with an excretion  
of mucus. - Cullen says that  
this complaint scarcely admits  
of being cured. Chapman does  
not acquiesce in this belief.  
When it partakes of inflamma-  
tory symptoms, Blood. Lett.  
Blood, as just mentioned, under  
certain circumstances, for rem-  
-edies, are imperiously deman-  
-ded. - After Bleeding, topical  
means, Blister the system alter-  
-nately, first on one part and  
remove to another. - Dis-  
-cuss. Digitalis, <sup>with Colocynth</sup> and Squill,  
the latter soon are shown as  
is as sure to affect a cure as  
the P. Bark in Intermit. -  
Chapman advises a gentle diet

-ivation induced with mercury  
Combined with Squills. -

Purgers in this complaint, are  
not only useless but increase the  
symptoms, & circumstances not  
yet accounted for. -

~~It is to be feared that the effects  
of the Gualtar & Sassa.~~

Calculus or Stone, is a complaint  
to which we are frequently called,  
and although, we are compelled  
to confess our incompetency, in effect-  
ing a radical cure with medi-  
cines, yet we are able to alleviate  
the symptoms, and probably arrest  
the increase of the Calculus. Of  
the remedies mostly recommended  
for this purpose, the Carbonic acid,  
Soda and Potash, are the firsts

Alk. Bitter (have a tendency to



125  
All Bitters (have a tendency to  
destroy gravel) such as DuRoi,  
Columbo, Camomile, Geutau &  
Cullen thought they absorbed the  
acid in the stomach, and thereby  
prevented the generation of the  
stone, which enters into the composi-  
tion of Urinary Calculi.

Chapman prefers the Uva Ursi  
ssi, and says if it does not dissolve  
the stone, it mitigates pain, and  
allays many symptoms, and  
irritation. — It produces a large  
urinary discharge, which is a de-  
fect much to be looked for. The  
infusion of Hop Chapman thinks  
warrants from efficacious. — The  
Daucy, Carota, or Common Car  
— root, has been used with advantage  
in a strong infusion. —

Allium Sativum, Garlic, is recom-  
-mended by some authors, but it  
should never be given, unless inflam-  
-mation exists. - Magnesia has  
usually been used with great success  
by Mr Brown who does not rely  
on any medicine or a Lotion &c. &c.  
He states 4 Cases attended with Cough  
by Magnesia - 1<sup>st</sup> Case 1/2 grs  
given 3 times a day before it effected  
a cure. 2<sup>nd</sup> Case 20 grs with lemon wa-  
-ter, - 3<sup>rd</sup> Case 20 grs cough, night cure  
speedily - 4<sup>th</sup> Case Alkali was given  
for a length of time, without any  
ostensible benefit, afterwards 20 grs  
Magnesia was given or before, which  
cured in 6 weeks. - In all of these  
Cases a deposition of sandy matter  
was to be found in the Urine. -  
The Stool commonly consists of  
Phosphate of Ammonia, and

Magnesia and sometimes a



Phosphate of Ammonia, and

Magnesia, and sometimes a  
Phosphate, of Lime. Chapman  
says Magnesia will not act on  
either of those substances, and if  
any good does result from the  
exhibition of Magnesia, the  
Modus Operandi is unknown.

It is necessary to be acquainted  
with the manner of treating this  
Complaint in the paroxysm. The  
first indication is bleeding copiously,  
to destroy inflammatory symp-  
-toms, and afterwards to relieve  
pain, which is to be done by Opium  
and the best method is in injections  
in doses from 200 to 300 hundred  
drops. Warm Bath at the tem-  
-perature of 98 or 100 degrees Fahr.

I now proceed to the disease of the  
organs of Generation, and first

Menstruation, which may be  
considered a physical <sup>healthy</sup> function, but  
often a disease. - The fluid discharg-  
ed, is peculiar secretion, not contain-  
ing red globules as in the Blood of the  
System. - Chapman taught the above  
doctrine, but says, since that time,  
he has paid considerable attention  
to the Subject, and has found pure  
and coagulable blood. - Menor-  
-rhagia may arise in either an  
impregnated or unimpregnated state  
of the Uterus. - It is either, Astruc-  
ian or to be used, Cool room, rest  
purgers, Bleeding under certain cir-  
cumstances. - If the pulse be high  
and corded, pain, blood frothy. - The  
purgers should consist of Saline med-  
icines. - In Uterine Hemorrhage,  
Chapman bleeds freely in all cases,  
and gives what has <sup>been</sup> called a specific  
aëchman Saturni, but Chapm



and has what has called a Specific  
of *Saccharum Saturni*, but Chap-  
man does not go so far. The usual method  
of exhibition is as follows:

*Sac Saturni* ————— 2 or 3 grs  
*Opium* ————— 1/2 gr  
Make pills and give it, and if  
this does not suffice give another  
of the same prescription and so on  
until the hemorrhage is stopped.

Chapman has given as much as  
40 or 50 grs in 24 hours. He gave  
15 gr at a dose in a case of *Hemop-  
tyxis*. Dr. Rush had a patient to  
take 13 without any inconvenience.  
*Ipecac* in nauseating doses, if it  
promotes vomiting the symptoms  
will increase. It may be given 6 or 7  
*Ipecac* ————— 1 or 2 grs  
*Opium* ————— 1/2 gr  
Allium was used by Van Helmont  
with much success. It may

be combined with Thio as follows  
Alumina ————— 10 grs  
Thio ————— aa 10 grs

Chapman combining Opium with  
Alum, say

Alum ————— 10 grs

Opium ————— 1/2 gr

Chair of Nitro in doses of from  
20 to 3000 grs. In many cases  
where blood letting was indicated  
the others have prescribed Digitalis  
purpurea, but Chapman contends  
that there is no substitute for the  
Lancet, in a high action pulse. —

Chapman thinks it might be used  
after venesection, but even at that  
time requires much experience and  
skill. — He never has used it, and  
never will. — It is the practice in  
Europe to give Opium, but

Chapman, thinks it productive



to give Opium, but

Chapman, thinks it productive  
of much harm, - only under very  
peculiar circumstances, and then  
judiciously employed. - I subse-  
quent to venereal Opium is good.

Blisters are necessary sometimes, and  
should be applied on the back and  
side. - They have an identity of ef-  
fect with Opium. - Cold ap-  
plication, on the Perineum, when  
other remedies do not succeed.

Chapman's Question in all chronic  
cases of females, are you regular  
in your menstruation? In Dys-  
menorrhoea, bleed, diaetetics, or  
Spices and Opium, Warm Bath,  
98 or 100 degrees Faren. Extract  
Hemlock, and Datura Stramonium.

The Local Emmenagogue operates with  
great facility and promptness on  
the Uterus, and should be given in

doses of 10, 20 grs, every 3 or 4 hours.

The most effectual remedy in my hands was Camphor, and Opium viz.

Camphor ————— 8 to 10 grs

Opium ————— 1 to 2 grs

If this has not the desired effect in the course of 2 hours give another.

In extreme cases, Salivate and Blister. — Warm Cloths, and other Auxiliary means are to be used.

Amnorrhoea, is divided into Retention, and Suppression properly called amnorrhoea. — The first remedy I shall speak of is the Polygala senega, first used by Dr. Bartholin of this city. — It is used in powder, and decoction, and Chapman prefers the latter method, as you can more conveniently combine an aromatic if necessary.

It is to given in as large doses as the



It is to give in as large dose, as the  
patient's Stomach will permit, for  
2 weeks before during the interruption  
of the expected menstruation. In  
some cases a Pecidium is formed  
which entirely obstructs the discharge  
and must be removed by active  
medicines. - How such a membrane  
is produced is unaccountable. -

Saliv in dose of 10 or 15 grs. were  
used half a century ago, by Dr.  
Horne, 3 or 4 times a day. - Boston  
Jaw maddener. - Chapman gives  
a strong infusion of Rosemary in  
dose of a Tumblerful for 3 or 4  
nights previous to the expected pe-  
-riod of menstruation. - Chapman  
has given the Phosphorus in  
dose of 10 or 15 grs. with Olive Oil,  
and finds it well adapted to  
weak and enervated patients. -

Iron, can hardly be considered  
Emmenagogue, the term applied  
to the above named medicines.

Of this class Iron alone, or used  
in conjunction with exercise, Cold  
bath, and Change of air. - The  
Carbonate of Iron is the best Cha-  
lybeate, and may be given as follows  
in doses of 10 or 15 graloms, or say,

Carbonate Iron — — — 2 3

P. Bark — — — 1 3

Ginger — — — 2 3

make 6 or 8 Bolus, and take

3 or 4 a day. - Chalybeate  
Wine is made as follows -

Rubys Ferri — — — 1 1/2 3

Gentian — — — —

Orange Pul — — — — 2 3

Port Wine — — — — 1 quart

When this disease is attended  
with pain, redness, and other



When this disease is attended  
with pain, redness, and other  
inflammatory signs, the anti-  
phlogistic treatment is demanded. 135.

Purges of Aloes, Myrrh &c on  
to be prepared. The salt of Stettin  
Sulphate of Iron.

Calaf	1/2	3
Myrr	1	3
Aloes	1/2	3
Myrrh	1/2	3

Make a mass and divide it into  
the moderate sized pills, and give  
2 or 3 every night. - The Black  
Hellebore is preferred by Dr. Phys-  
ick and others, in powder of  
8 or 10 grs. - The dose of the Tincture  
is 25 or 30 drops.

### Of the Venereal disease.

Chapman forbear to say any  
thing on the disease particularly  
but observes that, Gonorrhoea &

Syphilis is brought by some, to  
be an intensity of Complaints,  
while he contends, for the existence  
of no small difference. —

Cure, Mercury, in the first  
Stage — Injection, for which  
are the following ingredients

White Vitriol — — — —	10 grs
Sugar Lead — — — —	12 grs
Laudanum — — — —	13
G. arabic — — — —	-23
Water — — — —	8 oz

Mild diluent drinks are to  
be used, especially when pain,  
and inflammation exists —

In Cases of Glands, and other  
no. — The following is a good Injection

Opium — — — —	10 grs
Camphor — — — —	20 grs
Hot Water — — — —	8 oz

Make into solution and Strain.



Hot Water

3 3

Make into solution and Strain.

137

Patient, laboring under this dis-  
-ease, are to be restricted from  
rich food, and rest enjoined.

Chapman gives the following R<sup>n</sup>

B. Copiva ————— 3 3

Co. Spts Lavender —————

Rule. Spts Nitro ————— 2 3

Laudanum ————— 1 3

B. arabic ————— 2 3

Water ————— 3 3

give a Tablespoonful every 2 or 3  
hours = Perin is used in doses

of 8 or 10 grs 2 or 3 times a day.

Uva Uri given as in Brand,

20 or 30 grs 3 or 4 times a day.

This has been used as follows

H. Hinc ————— 2 3

allum ————— 1 3

Opium ————— 10 grs

W

water ————— 8<sup>oz</sup>  
 dipolor and Strain — The fol  
 - lowing is a good injection —  
 Sulphate Copper ————— 15<sup>grs</sup>  
 Opium ————— 20<sup>grs</sup>  
 Hot water ————— 8<sup>oz</sup>  
 dipolor and Strain —  
 Another —

Corrosive Sublimate ————— 23  
 Sal ammoniac ————— 10<sup>grs</sup>  
 Water ————— 8<sup>oz</sup>

In Syphilis, when ulcers exist  
 they are to be washed with a so-  
 lution of Corrosive Sublimate say  
 Corro. Sub. ————— 1<sup>gr</sup>  
 Water ————— 10<sup>oz</sup>

The Comp. of Spts. Lard or oil alone  
 as diluted, is an excellent lotion  
 to keep. — As has before <sup>been</sup> observed  
 Mercury is to be used in the

first stages of Syphilis, marking  
 ————— 139



first stages of Syphilis, mark in  
induce a very slight and gradual<sup>139</sup>  
salivation. - Chapman says that  
on many venereal diseases that  
do not require mercury, but can  
with can be cured by other means.

From the first appearance of Chanc  
on under the system becomes cutaneous  
in a few days, & from 15 to 20 days or  
one month. - Chapman says  
that Bubo is a sympathetic  
resulting from Chanc, and  
that Chanc is to be destroyed as soon  
as possible, in order to prevent the  
system of Vincent. - This object  
is to be effected with Caustics.

Much more depends on good  
dressing for success in this complaint  
than is generally thought. Friction  
of the Glans Penis by the Prepuce  
must be obviated, by binding the  
Prepuce back with a soft  
compress. -

Th

All ulcers on the Genital organ,  
whether male or female, predispose the  
parts to take on a phagedenic, or cancer-  
habit, and under such circumstances  
= Phagedenic Ulcers are the con-  
= sequence. - Astringent Lotions,  
are necessary under such appearances.

A generous diet, and rest are essential  
requisites, in effecting a cure, of this  
Complaint, when the system is ~~found~~  
undisordered. - Mercury,  
does not win its good effects in the  
course of 2 or 3 months suspends on  
or even entirely to give it. - The  
Nitric Acid Chapman recommends  
and says that he has used it, with  
much benefit, when given in the  
quantity of 2 ℥ daily. - This  
is peculiarly good for Phagedenic  
ulcers, and works - It is necessary  
to dilute the acid. - It is inad-  
- equate for curing the genuine

inocency, is slowly



di

... is chiefly  
... when the

Acid  
Fulphure Acid  
Blaze, with etc. ammoniac  
the

The  
Ammonia

Acid  
Blaze, with etc. ammoniac the  
in mineral Juice. Borax  
the acid

the  
Ammonia  
108  
108

All ulcers on the Genital organs  
whether male or female, predispose the  
parts to take in a placid, relaxed  
habit, and under such circumstances  
= Phagedenic Ulcers are the con-  
= sequence. — Astringent Lotions,  
are necessary under such appearances.  
A generous diet, and rest are essential  
requisites, in expecting a cure, of this  
Complaint, when the system is ~~found~~  
weak and deranged. — Mercury  
does not win its good effects in the  
course of 2 or 3 months suspends, or  
or even entirely to give it. — The  
Nitric Acid Chapman recommends  
and says that he has used it, with  
much benefit, when given in the  
quantity of 2 ℥ daily. — This  
is peculiarly good for Phagedenic  
ulcers, and works its way  
to detest the acid. —  
ate for ex



Acid  
 Phosphate acid  
 Chlor, with etc ammoniac  
 the

The  
 Amine

Acid  
 Chlor, with etc ammoniac the  
 in crystalline form  
 after acid

the  
 Amine  
 Chlor  
 108

Augustine Barth  
Bischofsheim bei  
Romm Cragu  
Au Harin Hecks

Diversa Capita  
Musculi sterni  
 sterni & costarum

*Erfectum Profectum*

Benjamin Franklin

Dr. Thomas Oliver  
New Carbonate, N.Y. 10/10/18

Costa Rica -  
San José -

John Argue Esq

57

Abstract of Sales —————  
 Paid in —————  
 Total —————



Dr. Cough

Chastity

Wholesale

by Amman

Coughs & Colds

Sanctuary

Valerian 1/3 384

Baden

Spinal Cord

Marm Barth

Harle

Office

Weg- und  
Karte

German

German

German

*Alacutia* (off most abundant)

Harvest

Wm. Brewster

27395

Arthur Balladone  
Arthur Balladone  
90

*Thyridia flavimontana* Ex. 2073  
Centa.

*Alcaluua alacum*  
*Alcaluua alacum*

Handwritten signature: *John*

Three courses  
Camp/shot 57675

*Wm. H. W.*

*Aspergillus*

1. *Praying in the woods*  
 2. *Praying in the woods*  
 3. *Praying in the woods*  
 4. *Praying in the woods*  
 5. *Praying in the woods*  
 6. *Praying in the woods*  
 7. *Praying in the woods*  
 8. *Praying in the woods*  
 9. *Praying in the woods*  
 10. *Praying in the woods*  
 11. *Praying in the woods*  
 12. *Praying in the woods*  
 13. *Praying in the woods*  
 14. *Praying in the woods*  
 15. *Praying in the woods*  
 16. *Praying in the woods*  
 17. *Praying in the woods*  
 18. *Praying in the woods*  
 19. *Praying in the woods*  
 20. *Praying in the woods*  
 21. *Praying in the woods*  
 22. *Praying in the woods*  
 23. *Praying in the woods*  
 24. *Praying in the woods*  
 25. *Praying in the woods*  
 26. *Praying in the woods*  
 27. *Praying in the woods*  
 28. *Praying in the woods*  
 29. *Praying in the woods*  
 30. *Praying in the woods*  
 31. *Praying in the woods*  
 32. *Praying in the woods*  
 33. *Praying in the woods*  
 34. *Praying in the woods*  
 35. *Praying in the woods*  
 36. *Praying in the woods*  
 37. *Praying in the woods*  
 38. *Praying in the woods*  
 39. *Praying in the woods*  
 40. *Praying in the woods*  
 41. *Praying in the woods*  
 42. *Praying in the woods*  
 43. *Praying in the woods*  
 44. *Praying in the woods*  
 45. *Praying in the woods*  
 46. *Praying in the woods*  
 47. *Praying in the woods*  
 48. *Praying in the woods*  
 49. *Praying in the woods*  
 50. *Praying in the woods*  
 51. *Praying in the woods*  
 52. *Praying in the woods*  
 53. *Praying in the woods*  
 54. *Praying in the woods*  
 55. *Praying in the woods*  
 56. *Praying in the woods*  
 57. *Praying in the woods*  
 58. *Praying in the woods*  
 59. *Praying in the woods*  
 60. *Praying in the woods*  
 61. *Praying in the woods*  
 62. *Praying in the woods*  
 63. *Praying in the woods*  
 64. *Praying in the woods*  
 65. *Praying in the woods*  
 66. *Praying in the woods*  
 67. *Praying in the woods*  
 68. *Praying in the woods*  
 69. *Praying in the woods*  
 70. *Praying in the woods*  
 71. *Praying in the woods*  
 72. *Praying in the woods*  
 73. *Praying in the woods*  
 74. *Praying in the woods*  
 75. *Praying in the woods*  
 76. *Praying in the woods*  
 77. *Praying in the woods*  
 78. *Praying in the woods*  
 79. *Praying in the woods*  
 80. *Praying in the woods*  
 81. *Praying in the woods*  
 82. *Praying in the woods*  
 83. *Praying in the woods*  
 84. *Praying in the woods*  
 85. *Praying in the woods*  
 86. *Praying in the woods*  
 87. *Praying in the woods*  
 88. *Praying in the woods*  
 89. *Praying in the woods*  
 90. *Praying in the woods*  
 91. *Praying in the woods*  
 92. *Praying in the woods*  
 93. *Praying in the woods*  
 94. *Praying in the woods*  
 95. *Praying in the woods*  
 96. *Praying in the woods*  
 97. *Praying in the woods*  
 98. *Praying in the woods*  
 99. *Praying in the woods*  
 100. *Praying in the woods*

48 hours less after birth a little  
of a spot, Aug 29th. 6 3 hours, unvar.



Particular Observed

Four Potash - sugar decomposed  
 Mineral acids - nitric sulphuric  
 acids

4th Oct 1811  
 showing evidence of the first stage of  
 the decomposition of Malina Prussia,  
 which was (cruciate) and  
 end to the second which is the  
 stage of decomposition

such in chemistry or in organic chemistry  
 -tion of the system, without previous  
 decomposition -

Particular of the system

1 Heat & friction, 36 to 40

4 Malina, N.

5 Soluble alkali

6 Charcoal, Branch from St. Louis 2 also

7 Malina, Malina, Port mouth of the river

Alma Mater, I will remember the

fall - for heavy

hand - the

Palatium full of hot water

State of affairs - or Government

Class of education

Charter of rights - should one long

Admission of students - planning

Good education

By what means can we reach

with vigor and other with date

Practical procedure

Mark

From reality

Caution Annals

Caution - of the other

Little or large, Palace of

Caution

Hot water

Principles of medicine



Caution given in the

Caution given in the

Caution given in the

Caution given in the

Caution given in the

Caution given in the

Caution given in the

# Caution

1. In the event of a disaster or

disaster, the first and most

important thing is to

remain calm and

act quickly and

efficiently. The

first step is to

Call the

fire department

and

the police.

2. If you are

*Handwritten signature*

56/10

5.

46

101

Alberca

1271/1712

465  
Leach

10 years old.

~~at 1597~~

0121 P

2

This image shows a blank, aged, cream-colored page, likely an endpaper or flyleaf of a book. The paper has a slightly textured appearance with some faint smudges and a dark, irregular mark near the bottom right corner. The page is otherwise empty of text or illustrations.



discharge of

Alfred Henry in a - 157.20  
 90

2. The following Committee of the Council  
 - Committee of the Council

3. Calverton, Division of the Council, to 20  
 4. Committee of the Council, to 1. 1/2  
 5. The Committee of the Council, to 1. 1/2  
 6. The Committee of the Council, to 1. 1/2

1. The Committee of the Council, to 1. 1/2  
 2. The Committee of the Council, to 1. 1/2  
 3. The Committee of the Council, to 1. 1/2  
 4. The Committee of the Council, to 1. 1/2  
 5. The Committee of the Council, to 1. 1/2  
 6. The Committee of the Council, to 1. 1/2

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.

Dr. J. J. J. J. J.



Articles

- 1 Cattle Potash 156 20
- 2 Sub-carbonate of Potash, 100 lbs 20
- 3 Super-carbonate of Potash, 100 lbs 20
- 4 Soda ash 30 20
- 5 Soda ash 30 20
- 6 Soda ash 30 20
- 7 Allagash 30 20
- 8 Carbonate of Soda 30 20
- 9 Other soda minerals 30-3
- 10 Urea 20 30
- 2 Mountain sulphur, 100 lbs
- 3 Purely Carota, 100 count
- 4 Glass 100 lbs

Cartagena, M. A. 23  
 & distribution of notes, 110 23

4 P. 110

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3

Notes of 110 3



4	Abundant	10. 15
5	Podophyllum	20
6	Comm. Ricini	1.23
7	Comm. Olivaceum	4. 13
8	Comm. Petalatum	20. 60
9	Comm. data	20. 30
10	Comm. doctena	1 - 10
11	Gambogio	3 - 10
12	Comm. monum	2 - 5
13	Coteguita	3 in
14	Wolferia ruga	10 - 30
15	Veratrum album	10 - 15
16	Submura	10
17	Thera	1 - 2
18	Alagmice	
19	Alagmice	
20	Alagmice	
21	Alagmice	
22	Alagmice	
23	Alagmice	
24	Alagmice	
25	Alagmice	
26	Alagmice	
27	Alagmice	
28	Alagmice	
29	Alagmice	
30	Alagmice	

Coarctantia.

1. Coarct. Almy

2. Coarct. Almy

1. Coarct. Almy

2. Coarct. Almy

1. Coarct. Almy

2. Coarct. Almy

1. Coarct. Almy

2. Coarct. Almy

1. Coarct. Almy

2. Coarct. Almy

1. Coarct. Almy



2000000

5600000

5600000

1000000

216000

96000

18000

1800000

6100000

1200000

1000000

3000000

1350000

1800000

1800000

1800000

1800000

